

Technical data sheet

Product features



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004839
TS 22 D	A group of articles - web	Meat grinders



- Composition for meat grinders: Two-fold
- Maximal production per hour [kg/h]: 300
- Unmountable head: Yes
- Material: Stainless steel
- Diameter of inner matrix [mm]: 8 + 4,5
- Diameter of outer matrix [mm]: 80
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for production plants
- Additional information: tomato press can be purchased
- Main switch: Yes

SAP Code	00004839	Power electric [kW]	1.100
Net Width [mm]	300	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	420	Maximal production per hour [kg/h]	300
Net Height [mm]	520	Unmountable head	Yes
Net Weight [kg]	31.00	Composition for meat grinders	Two-fold

Technical data sheet

Product benefits



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004839
TS 22 D	A group of articles - web	Meat grinders

1

Double fold

better product processing

2

Production 300kg/h

large capacity

3

All-stainless design

robustness
purity

4

Removable head

easy maintenance
hygienic cleanliness

5

Stainless steel hopper

easy maintenance
hygienic cleanliness

Technical data sheet

Technical parameters



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004839
TS 22 D	A group of articles - web	Meat grinders

1. SAP Code:

00004839

2. Net Width [mm]:

300

3. Net Depth [mm]:

420

4. Net Height [mm]:

520

5. Net Weight [kg]:

31.00

6. Gross Width [mm]:

410

7. Gross depth [mm]:

560

8. Gross Height [mm]:

680

9. Gross Weight [kg]:

40.00

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Power electric [kW]:

1.100

13. Loading:

400 V / 3N - 50 Hz

14. Control type:

Mechanical

15. Suitable consumer:

suitable for production plants

16. Main switch:

Yes

17. Unmountable head:

Yes

18. Maximal production per hour [kg/h]:

300

19. Standard equipment for device:

plastic push pin

20. Additional information:

tomato press can be purchased

21. Composition for meat grinders:

Two-fold

22. Diameter of inner matrix [mm]:

8 + 4,5

23. Diameter of outer matrix [mm]:

80

24. Inverse of device:

Yes

25. Cross-section of conductors CU [mm²]:

1