# Technical data sheet

Product features

**Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h 230 V / 1N**

| Model | SAP Code | 00018539 |
|---|---|---|
| IMK 4820 ADP | A group of articles - web | Ice makers |



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 47
- Water consumption [ l/h ]: 5.30
- Container for ice: Yes
- Ice storage capacity [kg]: 20
- Material: AISI 304

| | | | |
|---|---|---|---|
| **SAP Code** | 00018539 | **Cooling type** | Air |
| **Net Width [mm]** | 465 | **Water consumption [ l/h ]** | 5.30 |
| **Net Depth [mm]** | 595 | **Production per day [kg]** | 47 |
| **Net Height [mm]** | 894 | **Type of ice** | Hatter |
| **Net Weight [kg]** | 50.00 | **Weight of ice [g]** | 22.00 |
| **Power electric [kW]** | 0.510 | **Ice storage capacity [kg]** | 20 |
| **Loading** | 230 V / 1N - 50 Hz | **Drain pump** | Yes |





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


# Technical data sheet


Technical drawing

| Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00018539 |
| IMK 4820 ADP | **A group of articles - web** | Ice makers |




* All measurements in mm.
* Todas las cotas en mm.



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00018539 |
| IMK 4820 ADP | **A group of articles - web** | Ice makers |

**1** **Firm and crystal clear ice hats**

icy hats without dirt

– health safety and aesthetic impression

**2** **A3S: System with flexible nozzles with minor vibrations**

prevents limescale from settling.

– longer life of the device without the need to remove scale

**3** **SFVS front ventilation**

allows the units of the unit to the interior

– variability of the location of the device

**4** **Cleaning switch**

disconnects the cooling system when circulating water with a limescale removal product

– saving human work and time

**5** **Motor pump “NEVER STOP” (construction without seal)**

prevents depreciation in hard water

– longer life of the device without the need to remove scale = economic and time savings

**6** **EASI: Installation and service system - all panels can be removed separately**

easy access for installation and service.

– saving time, human work, costs

**7** **Printed circuit board at the bottom**

easy service

– saving time and human work

**8** **Tropical version of the machine (class t)**

adaptation to extreme climatic conditions.

– use in extreme climatic conditions

**9** **Stif: a construction supported by 4 -steel columns**

strength

– the possibility of higher loads and a difficult deformation



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

**Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h 230 V / 1N**

| Model | SAP Code | 00018539 |
|---|---|---|
| IMK 4820 ADP | A group of articles - web | Ice makers |

1. **SAP Code:**
   00018539
2. **Net Width [mm]:**
   465
3. **Net Depth [mm]:**
   595
4. **Net Height [mm]:**
   894
5. **Net Weight [kg]:**
   50.00
6. **Gross Width [mm]:**
   540
7. **Gross depth [mm]:**
   650
8. **Gross Height [mm]:**
   920
9. **Gross Weight [kg]:**
   57.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.510
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Refrigerant:**
    R290
14. **Cooling type:**
    Air
15. **Material:**
    AISI 304
16. **Exterior color of the device:**
    Stainless steel
17. **Min ambient temperature [°C]:**
    10
18. **Max ambient temperature [°C]:**
    43
19. **Additional information:**
    Max. height with legs 944 mm
20. **Production per day [kg]:**
    47
21. **Water consumption [ l/h ]:**
    5.30
22. **Door of device:**
    Full
23. **Type of ice:**
    Hatter
    - Kloboučkový
24. **Weight of ice [g]:**
    22.00
25. **Container for ice:**
    Yes
26. **Ice storage capacity [kg]:**
    20
27. **Drain pump:**
    Yes
28. **Cross-section of conductors CU [mm²]:**
    0,5



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00018539 |
| IMK 4820 ADP | **A group of articles - web** | Ice makers |

**29. Water supply connection:**
3/4”

**30. Diameter nominal:**
DN 50



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062