Technical data sheet

Product features

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007446
PCCD-64ET	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007446	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	400	**Number of zones**	2
Net Depth [mm]	600	**Power consumption of the zone 1 [kW]**	2,5
Net Height [mm]	50	**Power consumption of the zone 2 [kW]**	2,5
Net Weight [kg]	10.00	**Ceramic glass dimensions [mm]**	350 x 570
Power electric [kW]	5.000		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V / 3N

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves






Tabella	
Descrizione	A
PCD-64ET	400 mm
PCD-68ET	800 mm

A	Data plate		B	Electrical connection	

MODEL:	PCCD-64ET
DIMENSIONS:	cm. 40x 60x 5h
ELECTRIC POWER:	5 kW
VOLTAGE:	400V~2N / 230V~3 / 230V~
FREQUENCY:	50/60 Hz



kg:	12
m^3:	0.127
mm:	430x630x470

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007446
PCCD-64ET	**A group of articles - web**	Stoves

1 **Glass ceramic surface**

quick warm-up
uniform heating and residual heat indicator

- saving time in food preparation
- no reheating and long cooking times
- material does not rust

2 **Internal thermostatic plate protection**

longer service life of the plates

- no overheating of the plates and no cracking

3 **Degree of protection of the control elements IPX5**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4 **All-stainless design**

the material does not cut
wear resistance of the material
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5 **Hygienic moldings of the top plate**

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

6 **Variability**

the possibility of attaching to a fixed plate as part of a monoblock
the possibility of creating one module
long life

- cost saving
- space saving
- long service life

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007446
PCCD-64ET	**A group of articles - web**	Stoves

1. **SAP Code:**
   00007446
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   50
5. **Net Weight [kg]:**
   10.00
6. **Gross Width [mm]:**
   430
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   12.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    5.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Material:**
    Stainless steel
16. **Worktop type:**
    Molded - comfortable cleaning maintenance
17. **Worktop material:**
    AISI 304
18. **Worktop Thickness [mm]:**
    2.00
19. **Number of zones:**
    2
20. **Power consumption of the zone 1 [kW]:**
    2,5
21. **Power consumption of the zone 2 [kW]:**
    2,5
22. **Number of power control stages:**
    6
23. **Service accessibility:**
    From the front by removing the front panel and waste fluid containers
24. **Safety element:**
    internal thermostatic protection of the hotplate against overheating
25. **Safety thermostat:**
    Yes
26. **Number of burners/hot plates:**
    2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007446
PCCD-64ET	**A group of articles - web**	Stoves

27. Type of electric cooking zones:
Glass ceramic

28. Ceramic glass dimensions [mm]:
350 x 570

29. Cross-section of conductors CU [mm²]:
1

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062