Technical data sheet

Product features

Fry Top Griddle grooved chrome 400 V / 3N		
Model	**SAP Code**	00020641
FTRC 708 E	**A group of articles - web**	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 560 x 770
- Griddle thickness [mm]: 12.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: Yes


SAP Code	00020641	**Power electric [kW]**	9.000
Net Width [mm]	800	**Loading**	400 V / 3N - 50 Hz
Net Depth [mm]	730	**Griddle dimensions [mm x mm]**	560 x 770
Net Height [mm]	300	**Top type**	Grooved
Net Weight [kg]	72.20	**Worktop type**	Molded - comfortable cleaning maintenance

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry Top Griddle grooved chrome 400 V / 3N		
Model	**SAP Code**	00020641
FTRC 708 E	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry Top Griddle grooved chrome 400 V / 3N		
Model	**SAP Code**	00020641
FTRC 708 E	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00020641
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   730
4. **Net Height [mm]:**
   300
5. **Net Weight [kg]:**
   72.20
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   480
9. **Gross Weight [kg]:**
   81.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    9.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IP24
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate and cladding
17. **Indicators:**
    operation and warm-up
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.50
21. **Surface finish:**
    polished chrome 0.03 mm
22. **Maximum device temperature [°C]:**
    300
23. **Minimum device temperature [°C]:**
    50
24. **Service accessibility:**
    Trough the frontal panel
25. **Safety thermostat:**
    Yes
26. **Safety thermostat up to x ° C:**
    360
27. **Griddle dimensions [mm x mm]:**
    560 x 770
28. **Griddle thickness [mm]:**
    12.00

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry Top Griddle grooved chrome 400 V / 3N		
Model	**SAP Code**	00020641
FTRC 708 E	**A group of articles - web**	Grills and grill plates

29. Container for liquid fat:
Yes

30. Removable device container:
No

31. Independent heating zones:
Separate control for each heating zone

32. Removable rim:
Yes

33. Uniform heating:
Yes

34. Top type:
Grooved

35. Cross-section of conductors CU [mm²]:
2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062