

# Technical data sheet

## Product features



### Vacuum packing machine 20 m<sup>3</sup>/h, 460 mm + gas kit

|              |                                  |              |
|--------------|----------------------------------|--------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013551     |
| VBD 20B SB   | <b>A group of articles - web</b> | Vacuum packs |



- Vacuum pump power [m<sup>3</sup>/h]: 20
- Length of sealing bar [mm]: 460
- Width of internal part [mm]: 470
- Depth of internal part [mm]: 530
- Height of internal part [mm]: 210
- Control type: Digital
- Gas flush: Yes
- Number of programs: 10
- Sealing time adjustment: Yes
- Vacuum time adjustment: Yes
- Lid security element: Yes
- Manometer: Yes

|                            |          |                                            |                    |
|----------------------------|----------|--------------------------------------------|--------------------|
| <b>SAP Code</b>            | 00013551 | <b>Loading</b>                             | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 545      | <b>Vacuum pump power [m<sup>3</sup>/h]</b> | 20                 |
| <b>Net Depth [mm]</b>      | 655      | <b>Length of sealing bar [mm]</b>          | 460                |
| <b>Net Height [mm]</b>     | 540      | <b>Width of internal part [mm]</b>         | 470                |
| <b>Net Weight [kg]</b>     | 67.00    | <b>Depth of internal part [mm]</b>         | 530                |
| <b>Power electric [kW]</b> | 0.750    | <b>Height of internal part [mm]</b>        | 210                |


# Technical data sheet

Technical drawing



Vacuum packing machine 20 m<sup>3</sup>/h, 460 mm + gas kit

|              |                                  |              |
|--------------|----------------------------------|--------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013551     |
| VBD 20B SB   | <b>A group of articles - web</b> | Vacuum packs |



# Technical data sheet

## Product benefits



### Vacuum packing machine 20 m<sup>3</sup>/h, 460 mm + gas kit

|              |                                  |              |
|--------------|----------------------------------|--------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013551     |
| VBD 20B SB   | <b>A group of articles - web</b> | Vacuum packs |

1

#### **Adjustable welding time**

tighter packaging closure

- greater security of closure
- less error in operation

2

#### **Convex plexiglass cover**

greater variability of vacuuming

- possibility to vacuum larger quantities at once

3

#### **Stainless steel chamber**

endurance

easy maintenance

- easy to maintain thanks to the stainless steel chamber
- hygienic cleanliness

4

#### **Softair slow return of air to the chamber**

care for the product and the bag

- softair eliminates the risk of damage to the bag and the vacuumed food, thus saving costs

5

#### **Rubber feet**

vibration elimination

- nižší hlučnost zařízení
- prodloužení životnosti

6

#### **Inert gas**

variability of use

- safe vacuuming of even the most delicate foods seafood, fish...

# Technical data sheet

## Technical parameters



### Vacuum packing machine 20 m3/h, 460 mm + gas kit

|              |                                  |              |
|--------------|----------------------------------|--------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013551     |
| VBD 20B SB   | <b>A group of articles - web</b> | Vacuum packs |

**1. SAP Code:**

00013551

**2. Net Width [mm]:**

545

**3. Net Depth [mm]:**

655

**4. Net Height [mm]:**

540

**5. Net Weight [kg]:**

67.00

**6. Gross Width [mm]:**

700

**7. Gross depth [mm]:**

700

**8. Gross Height [mm]:**

620

**9. Gross Weight [kg]:**

96.00

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Power electric [kW]:**

0.750

**13. Loading:**

230 V / 1N - 50 Hz

**14. Control type:**

Digital

**15. Safety cover:**

transparent plexiglass

**16. Safety element:**

lid opening fuse

**17. Main switch:**

Yes

**18. Timer:**

Yes

**19. Gas flush:**

Yes

**20. Vacuum pump power [m3/h]:**

20

**21. Length of sealing bar [mm]:**

460

**22. Number of programs:**

10

**23. Sealing time adjustment:**

Yes

**24. Vacuum time adjustment:**

Yes

**25. Lid security element:**

Yes

**26. Manometer:**

Yes

**27. Width of internal part [mm]:**

470

**28. Depth of internal part [mm]:**

530

# Technical data sheet

Technical parameters



## Vacuum packing machine 20 m<sup>3</sup>/h, 460 mm + gas kit

|              |                                  |              |
|--------------|----------------------------------|--------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013551     |
| VBD 20B SB   | <b>A group of articles - web</b> | Vacuum packs |

### 29. Height of internal part [mm]:

210

### 30. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5