

# Technical data sheet

## Product features



### Screw cutting machine, diameter 30, 400 V

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001370         |
| GXE 300 DPT  | <b>A group of articles - web</b> | Cutting machines |



- Blade type: Smooth
- Blade diameter [mm]: 300
- Cutting thickness [mm]: 0 - 15
- Useful Cut [mm]: 290 x 170
- Transfer type: Snail
- Material: Aluminium
- Safety element: stainless steel blade guard  
transparent finger protection
- Suitable consumer: suitable for larger operations
- Table position: Oblique
- On/Off button: Yes
- Continuous work limit: running time without limitation

|                            |          |                               |                    |
|----------------------------|----------|-------------------------------|--------------------|
| <b>SAP Code</b>            | 00001370 | <b>Loading</b>                | 400 V / 3N - 50 Hz |
| <b>Net Width [mm]</b>      | 460      | <b>Blade type</b>             | Smooth             |
| <b>Net Depth [mm]</b>      | 670      | <b>Blade diameter [mm]</b>    | 300                |
| <b>Net Height [mm]</b>     | 450      | <b>Cutting thickness [mm]</b> | 0 - 15             |
| <b>Net Weight [kg]</b>     | 35.00    | <b>Useful Cut [mm]</b>        | 290 x 170          |
| <b>Power electric [kW]</b> | 0.300    |                               |                    |

# Technical data sheet

Technical drawing



**Screw cutting machine, diameter 30, 400 V**

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001370         |
| GXE 300 DPT  | <b>A group of articles - web</b> | Cutting machines |

# Technical data sheet

## Product benefits



### Screw cutting machine, diameter 30, 400 V

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001370         |
| GXE 300 DPT  | <b>A group of articles - web</b> | Cutting machines |

1

#### Aluminum alloy body

- robustness  
purity
- long service life
  - very easy to clean

2

#### Worm gear

- long service life
- thanks to the worm gear and the more powerful motor, it can be used de facto continuously

3

#### Anti-stick treatment of the knife including anti-stick grooves

- less adhesion of the sliced food to the knife
- thanks to the blade design, even softer foods can be cut, saving costs and time

4

#### Fan-cooled motor with overheating protection

- greater capacity of processed food  
long life
- can work longer thanks to cooling
  - less risk of overheating and engine damage due to cooling

5

#### Finger protection

- high operational safety
- the finger guard minimises the risk of accidents at work

6

#### Spring displacement of the raw material

- easier handling
- the spring ensures a smoother movement of the food towards the knife and thus increases the comfort of the operator

7

#### Large blade diameter

- variability of use
- thanks to the large diameter of the knife, even large pieces of food can be processed

8

#### Grinding equipment included in the price

- guaranteed sharpness of the knife  
quick maintenance
- no additional costs for external grinding
  - easy maintenance
  - immediate solution
  - time saving

# Technical data sheet

## Technical parameters



### Screw cutting machine, diameter 30, 400 V

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001370         |
| GXE 300 DPT  | <b>A group of articles - web</b> | Cutting machines |

**1. SAP Code:**

00001370

**2. Net Width [mm]:**

460

**3. Net Depth [mm]:**

670

**4. Net Height [mm]:**

450

**5. Net Weight [kg]:**

35.00

**6. Gross Width [mm]:**

660

**7. Gross depth [mm]:**

750

**8. Gross Height [mm]:**

590

**9. Gross Weight [kg]:**

47.00

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Power electric [kW]:**

0.300

**13. Loading:**

400 V / 3N - 50 Hz

**14. Control type:**

Mechanical

**15. Safety element:**

stainless steel blade guard  
transparent finger protection

**16. Suitable consumer:**

suitable for larger operations

**17. Adjustable feet:**

No

**18. Main switch:**

Yes

**19. Transfer type:**

Snail

**20. Blade type:**

Smooth

**21. Blade diameter [mm]:**

300

**22. Useful Cut [mm]:**

290 x 170

**23. On/Off button:**

Yes

**24. Continuous work limit:**

running time without limitation

**25. Removable moving table:**

Yes

**26. Anti-adhesive blade treatment:**

Yes

**27. Table position:**

Oblique

**28. Blade cover material:**

Stainless steel

# Technical data sheet

Technical parameters



Screw cutting machine, diameter 30, 400 V

|             |                           |                  |
|-------------|---------------------------|------------------|
| Model       | SAP Code                  | 00001370         |
| GXE 300 DPT | A group of articles - web | Cutting machines |

**29. Sharpening device:**

Additional included in the price

**31. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

**30. Cutting thickness [mm]:**

0 - 15