

# Technical data sheet

## Product features



### Meat mincer 2 grinding groups removable grinding unit 300 kg/h 230 V

|              |                                  |               |
|--------------|----------------------------------|---------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00004310      |
| TE 22/D EM   | <b>A group of articles - web</b> | Meat grinders |



- Composition for meat grinders: Two-fold
- Maximal production per hour [kg/h]: 300
- Unmountable head: Yes
- Material: Aluminium
- Diameter of inner matrix [mm]: 8 + 4,5
- Diameter of outer matrix [mm]: 80
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for medium-sized restaurants
- Additional information: tomato press can be purchased
- Main switch: Yes

|                        |          |                                           |                    |
|------------------------|----------|-------------------------------------------|--------------------|
| <b>SAP Code</b>        | 00004310 | <b>Power electric [kW]</b>                | 1.100              |
| <b>Net Width [mm]</b>  | 290      | <b>Loading</b>                            | 230 V / 1N - 50 Hz |
| <b>Net Depth [mm]</b>  | 450      | <b>Maximal production per hour [kg/h]</b> | 300                |
| <b>Net Height [mm]</b> | 520      | <b>Unmountable head</b>                   | Yes                |
| <b>Net Weight [kg]</b> | 25.00    | <b>Composition for meat grinders</b>      | Two-fold           |


# Technical data sheet

Technical drawing



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 230 V

|            |                           |               |
|------------|---------------------------|---------------|
| Model      | SAP Code                  | 00004310      |
| TE 22/D EM | A group of articles - web | Meat grinders |



# Technical data sheet

## Product benefits



### Meat mincer 2 grinding groups removable grinding unit 300 kg/h 230 V

|            |                           |               |
|------------|---------------------------|---------------|
| Model      | SAP Code                  | 00004310      |
| TE 22/D EM | A group of articles - web | Meat grinders |

1

#### Double fold

better product processing

- thanks to the double composition, the machine provides multiple food processing options and thus saves costs and time by grinding it to the desired fineness and texture in one go

2

#### Reverse gear

easy to control

- no need to disassemble the grinder when the auger is overloaded

3

#### Production 160 kg/h

large capacity in relation to the size

- great price/performance ratio
- time and cost saving

4

#### Polished aluminum body

robustness

purity

- long service life
- very easy to clean

5

#### Removable head

robustness

purity

- thanks to the removable head, it is much easier to clean and thus saves time
- better cleaning quality ensures hygienic safety

6

#### Stainless steel hopper

durability

hygienic cleanliness

- very long hopper life due to robustness
- very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners

# Technical data sheet

## Technical parameters



### Meat mincer 2 grinding groups removable grinding unit 300 kg/h 230 V

|              |                                  |               |
|--------------|----------------------------------|---------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00004310      |
| TE 22/D EM   | <b>A group of articles - web</b> | Meat grinders |

**1. SAP Code:**

00004310

**2. Net Width [mm]:**

290

**3. Net Depth [mm]:**

450

**4. Net Height [mm]:**

520

**5. Net Weight [kg]:**

25.00

**6. Gross Width [mm]:**

300

**7. Gross depth [mm]:**

540

**8. Gross Height [mm]:**

480

**9. Gross Weight [kg]:**

27.00

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Exterior color of the device:**

Stainless steel

**13. Power electric [kW]:**

1.100

**14. Loading:**

230 V / 1N - 50 Hz

**15. Control type:**

Mechanical

**16. Suitable consumer:**

suitable for medium-sized restaurants

**17. Main switch:**

Yes

**18. Unmountable head:**

Yes

**19. Maximal production per hour [kg/h]:**

300

**20. Standard equipment for device:**

plastic push pin

**21. Additional information:**

tomato press can be purchased

**22. Composition for meat grinders:**

Two-fold

**23. Diameter of inner matrix [mm]:**

8 + 4,5

**24. Diameter of outer matrix [mm]:**

80

**25. Inverse of device:**

Yes

**26. Cross-section of conductors CU [mm²]:**

0,5