Technical data sheet

Product features

Mobile electric bain-marie GN 3-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00007105
BMPK 3120 CS	**A group of articles - web**	Pasta cookers and Bain Marine



- Material: AISI 304 top plate, AISI 430 cladding
- Maximum device temperature [°C]: 90
- Device properties: Warmed


SAP Code	00007105	**Power electric [kW]**	2.100
Net Width [mm]	598	**Loading**	230 V / 1N - 50 Hz
Net Depth [mm]	1254	**GN / EN size in device**	GN 1/1
Net Height [mm]	905	**GN device depth**	200
Net Weight [kg]	54.00		

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Technical drawing

Mobile electric bain-marie GN 3-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00007105
BMPK 3120 CS	**A group of articles - web**	Pasta cookers and Bain Marine



tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Technical parameters

Mobile electric bain-marie GN 3-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00007105
BMPK 3120 CS	**A group of articles - web**	Pasta cookers and Bain Marine

1. **SAP Code:**
   00007105
2. **Net Width [mm]:**
   598
3. **Net Depth [mm]:**
   1254
4. **Net Height [mm]:**
   905
5. **Net Weight [kg]:**
   54.00
6. **Gross Width [mm]:**
   755
7. **Gross depth [mm]:**
   1310
8. **Gross Height [mm]:**
   1010
9. **Gross Weight [kg]:**
   60.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    2.100
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Exterior color of the device:**
    Stainless steel
14. **Material:**
    AISI 304 top plate, AISI 430 cladding
15. **Maximum device temperature [°C]:**
    90
16. **Minimum device temperature [°C]:**
    30
17. **GN / EN size in device:**
    GN 1/1
18. **GN device depth:**
    200
19. **Cross-section of conductors CU [mm²]:**
    0,5
20. **Device properties:**
    Warmed

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com