



Salamander digital 4 heating elements movable upper part Hi-Touch 400 V		
Model	SAP Code	00010730
ST 42	A group of articles - web	Salamanders




- Removable bottom shelf: Yes
- Continuously sliding upper part of the device with heating elements: Yes
- Automatic temperature control: Yes
- Stainless steel holder included for easy wall mounting: Yes
- Automatic switch off at the end of the cycle and acoustic signaling: Yes
- HOLD function for temperature maintenance: Yes
- Number of heating elements: 4 heating elements, 2 heating options

SAP Code	00010730	Power electric [kW]	6.000
Net Width [mm]	735	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	580	Removable bottom shelf	Yes
Net Height [mm]	520	Number of heating elements	4 heating elements, 2 heating options
Net Weight [kg]	65.00		



Technical drawing

Salamander digital 4 heating elements movable upper part Hi-Touch 400 V		
Model	SAP Code	00010730
ST 42	A group of articles - web	Salamanders







Salamander digital 4 heating elements movable upper part Hi-Touch 400 V		
Model	SAP Code	00010730
ST 42	A group of articles - web	Salamanders

Vermiculite heating segment cover

immediate barrier-free penetration of heat and light from the heating segments very durable material

- intensive heat treatment of food

Special heating elements,

instant thermal run-up

 salamander does not need to be continuously switched on, food is cooked in real time, no waste heat is generated in the kitchen

Sliding system
a sliding system enabling a smooth shift of the lift and setting the required distance from the food

 convenient control without the need to exert force to adjust the distance needed to cook the food

Programmable

the control panel allows you to set individual times for different foods

 setting of programmed times allows operation by non-expert personnel

Individual zone control

control elements enabling switching on individual zones of the device  $% \left( 1\right) =\left( 1\right) \left( 1$ 

saves energy and extends its life

Stainless steel construction

- energy saving
- allows for the preparation of different sized foods

construction material is high quality stainless steel ensuring long life high hygiene standard

- safe food preparation; long service life; easy cleaning

Wallmannt

construction allowing hanging on a wall or structure
- space saving in the kitchen; easy access

Automatic shutdown
automatic shutdown at the end of the set cycle
acoustic signal

- Prevents food spoilage



#### Technical parameters

Salamander digital 4 heating elements movable upper part Hi-Touch 400 V		
Model	SAP Code	00010730
ST 42	A group of articles - web	Salamanders
<b>1. SAP Code:</b> 00010730		<b>14. Loading:</b> 400 V / 3N - 50 Hz
<b>2. Net Width [mm]:</b> 735		<b>15. Maximum device temperature [°C]:</b> 230
3. Net Depth [mm]: 580		16. Control type: Touchscreen
4. Net Height [mm]: 520		<b>17. GN / EN size in device:</b> GN 1/1
<b>5. Net Weight [kg]:</b> 65.00		18. Removable bottom shelf: Yes
<b>6. Gross Width [mm]:</b> 830		19. Continuously sliding upper part of the device with heating elements:  Yes
7. Gross depth [mm]: 645		<b>20. Automatic temperature control:</b> Yes
8. Gross Height [mm]: 730		21. Stainless steel holder included for easy wall mounting:  Yes
<b>9. Gross Weight [kg]:</b> 78.00		22. Automatic switch off at the end of the cycle and acoustic signaling:  Yes
10. Device type: Electric unit		23. HOLD function for temperature maintenance: Yes
11. Material: Stainless steel		<ul> <li>24. Number of heating elements:</li> <li>4 heating elements, 2 heating options</li> <li>4 topné elementy, 2 varianty ohřevu</li> </ul>
12. Device heating type: Infrared emitter		25. Cross-section of conductors CU [mm²]:

6.000

13. Power electric [kW]: