

# Technical data sheet

## Product features



### Multifunctional kitchen appliance INFINITY 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00010706                       |
| INFINITY 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



- Shock cooling cycle kg / min (+3 ° C): 45/90
- Shock freeze cycle kg / min (-18 ° C): 30/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 60
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes, with save options
- Defrosting cycle: Yes
- Proving cycle: Yes

|                            |                    |                                              |             |
|----------------------------|--------------------|----------------------------------------------|-------------|
| <b>SAP Code</b>            | 00010706           | <b>Number of GN / EN</b>                     | 10          |
| <b>Net Width [mm]</b>      | 790                | <b>GN / EN size in device</b>                | GN 1/1      |
| <b>Net Depth [mm]</b>      | 839                | <b>GN device depth</b>                       | 65          |
| <b>Net Height [mm]</b>     | 1650               | <b>Shock cooling cycle kg / min (+3 ° C)</b> | 45/90       |
| <b>Net Weight [kg]</b>     | 179.00             | <b>Shock freeze cycle kg / min (-18 ° C)</b> | 30/240      |
| <b>Power electric [kW]</b> | 1.600              | <b>Control type</b>                          | Touchscreen |
| <b>Loading</b>             | 400 V / 3N - 50 Hz |                                              |             |

# Technical data sheet

Technical drawing



## Multifunctional kitchen appliance INFINITY 10x GN 1/1

Model


SAP Code

00010706

INFINITY 1011

A group of articles - web

Šokery a multifunkční zařízení



# Technical data sheet

## Product benefits



### Multifunctional kitchen appliance INFINITY 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00010706                       |
| INFINITY 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

1

#### 6 in 1

can replace 6 devices (fridge, freezer, shocker, hotbox, kitchen, oven)

- saves space, time, energy and the cost of additional equipment due to the enormous variability

2

#### Stainless steel body and interior

endurance  
hygiene

- thanks to the all-stainless steel construction it is very easy to maintain and thus saves costs

3

#### Monitoring of HACCP parameters

easy registration of all necessary parameters

- hassle-free proof of proper food handling in the event of an inspection

4

#### Preset cycles

very simple and intuitive operation

- operation can be handled by less qualified operators

5

#### Slow cooking

better taste  
less weight loss during cooking

- saves costs due to less weight loss

6

#### Multipoint probe

precise monitoring of the cooling/freezing/  
cooking temperature

- the probe makes it easier to ensure food safety
- saves energy and time due to the end of cooling/  
freezing/cooking when temperature is reached

7

#### Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

8

#### Cooking during the night

the possibility to preset entire program cycles and run them overnight unattended

- saving equipment capacity during the day
- saving of human capacity and time due to unattended operation of the equipment overnight

# Technical data sheet

## Technical parameters



### Multifunctional kitchen appliance INFINITY 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00010706                       |
| INFINITY 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**1. SAP Code:**

00010706

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

839

**4. Net Height [mm]:**

1650

**5. Net Weight [kg]:**

179.00

**6. Gross Width [mm]:**

846

**7. Gross depth [mm]:**

860

**8. Gross Height [mm]:**

1780

**9. Gross Weight [kg]:**

189.70

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Power electric [kW]:**

1.600

**14. Loading:**

400 V / 3N - 50 Hz

**15. Control type:**

Touchscreen

**16. Display size:**

9"

**17. Refrigerant:**

R452a

**18. Number of GN / EN:**

10

**19. GN / EN size in device:**

GN 1/1

**20. GN device depth:**

65

**21. Maximum device temperature [°C]:**

-40

**22. Shock freeze cycle kg / min (-18 ° C):**

30/240

**23. Shock cooling cycle kg / min (+3 ° C):**

45/90

**24. Insulation thickness [mm]:**

60

**25. Long-term cooling function:**

Yes

**26. Longterm freezing function:**

Yes

**27. Probe:**

4-points

**28. Self-diagnostics:**

Yes

# Technical data sheet

## Technical parameters



### Multifunctional kitchen appliance INFINITY 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00010706                       |
| INFINITY 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**29. Interior lighting:**

Yes

**30. HACCP:**

Yes

**31. Low temperature heat treatment:**

Yes

**32. Low temperature cooking span [°C]:**

52-85

**33. Defrosting cycle:**

Yes

**34. Proving cycle:**

Yes

**35. User programmable cycles:**

Yes, with save options

**36. USB port:**

Yes, for HACCP and firmware update

**37. Castors:**

Optional

**38. Real time monitoring parameters:**

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

**39. Cross-section of conductors CU [mm²]:**

0,5