

Technical data sheet

Product features



Blast chiller/freezer 10x GN 1/1 TouchScreen stainless steel 400 V

Model	SAP Code	00008779
IS 1011	A group of articles - web	Šokery a multifunkční zařízení



- Shock cooling cycle kg / min (+3 ° C): 45/90
- Shock freeze cycle kg / min (-18 ° C): 30/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 60
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes, with save options
- Defrosting cycle: Yes

SAP Code	00008779	Number of GN / EN	10
Net Width [mm]	790	GN / EN size in device	GN 1/1
Net Depth [mm]	839	GN device depth	65
Net Height [mm]	1650	Shock cooling cycle kg / min (+3 ° C)	45/90
Net Weight [kg]	179.00	Shock freeze cycle kg / min (-18 ° C)	30/240
Power electric [kW]	1.600	Control type	Touchscreen
Loading	400 V / 3N - 50 Hz		

Technical data sheet

Technical drawing



Blast chiller/freezer 10x GN 1/1 TouchScreen stainless steel 400 V

Model


SAP Code

00008779

IS 1011

A group of articles - web

Šokery a multifunkční zařízení



Technical data sheet

Product benefits



Blast chiller/freezer 10x GN 1/1 TouchScreen stainless steel 400 V

Model	SAP Code	00008779
IS 1011	A group of articles - web	Šokery a multifunkční zařízení

1

Stainless steel body and interior

endurance

hygiene

- thanks to the all stainless steel construction it is very easy to maintain and thus saves costs
- meeting hygiene standards

2

Monitoring of HACCP parameters

easy registration of all necessary parameters

- hassle-free proof of proper food handling in the event of an inspection

3

Multipoint probe

precise monitoring of the cooling/freezing temperature

- food safety is better ensured thanks to the probe
- saves energy and time by stopping cooling/freezing when temperature is reached

4

Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

Technical data sheet

Technical parameters



Blast chiller/freezer 10x GN 1/1 TouchScreen stainless steel 400 V

Model	SAP Code	00008779
IS 1011	A group of articles - web	Šokery a multifunkční zařízení

1. SAP Code:

00008779

2. Net Width [mm]:

790

3. Net Depth [mm]:

839

4. Net Height [mm]:

1650

5. Net Weight [kg]:

179.00

6. Gross Width [mm]:

846

7. Gross depth [mm]:

860

8. Gross Height [mm]:

1780

9. Gross Weight [kg]:

190.10

10. Device type:

Electric unit

11. Material:

AISI 304

12. Exterior color of the device:

Stainless steel

13. Opening of device:

Hinges on the left

14. Power electric [kW]:

1.600

15. Loading:

400 V / 3N - 50 Hz

16. Climate class:

5

17. Control type:

Touchscreen

18. Display size:

9"

19. Refrigerant:

R452a

20. Number of GN / EN:

10

21. GN / EN size in device:

GN 1/1

22. GN device depth:

65

23. Maximum device temperature [°C]:

-40

24. Shock freeze cycle kg / min (-18 ° C):

30/240

25. Shock cooling cycle kg / min (+3 ° C):

45/90

26. Insulation thickness [mm]:

60

27. Long-term cooling function:

Yes

28. Longterm freezing function:

Yes

Technical data sheet

Technical parameters



Blast chiller/freezer 10x GN 1/1 TouchScreen stainless steel 400 V

Model	SAP Code	00008779
IS 1011	A group of articles - web	Šokery a multifunkční zařízení

29. Probe:

4-points

30. Self-diagnostics:

Yes

31. Interior lighting:

Yes

32. HACCP:

Yes

33. Filter:

Removable

34. Defrosting cycle:

Yes

35. User programmable cycles:

Yes, with save options

36. USB port:

Yes, for HACCP and firmware update

37. Castors:

Optional

38. Real time monitoring parameters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

39. Cross-section of conductors CU [mm²]:

0,5