
Technical data sheet

Product features

Fry-top griddle plate 36x55 drop-in electric smooth 400 V / 3N		
Model	**SAP Code**	00007454
FTLD-64ET	**A group of articles - web**	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 600 x 400
- Griddle thickness [mm]: 14.00
- Worktop material: Stainless steel
- Grid size [mm x mm]: 450 x 395
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Removable rim: Yes

SAP Code	00007454	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	400	**Griddle dimensions [mm x mm]**	600 x 400
Net Depth [mm]	600	**Grid size [mm x mm]**	450 x 395
Net Height [mm]	220	**Top type**	Smooth
Net Weight [kg]	25.00	**Worktop type**	Molded - comfortable cleaning maintenance
Power electric [kW]	4.500		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry-top griddle plate 36x55 drop-in electric smooth 400 V / 3N

Model	SAP Code	00007454
FTLD-64ET	A group of articles - web	Grills and grill plates



Descrizione	A	B	C	D	E
FT...D-64ET	400 mm	600 mm	135 mm	51 mm	420 mm
FT...D-66ET	600 mm	600 mm	300 mm	55,5 mm	420 mm
FT...D-68ET	800 mm	600 mm	400 mm	65 mm	420 mm
FT...D-84ET	400 mm	800 mm	105 mm	29 mm	650 mm
FT...D-88ET	800 mm	800 mm	400 mm	29 mm	650 mm

A	Data plate		B	Electrical connection	

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Fry-top griddle plate 36x55 drop-in electric smooth 400 V / 3N		
Model	**SAP Code**	00007454
FTLD-64ET	**A group of articles - web**	Grills and grill plates

1 **All-stainless design**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX5**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Built-in cooking unit**

variable use
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

4 **High detachable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5 **Smooth steel plate**

good heat transfer and the surface does not get scratched
enables preparation on smooth or grooved plates

- time-saving for food preparation
- no reheating and long cooking times

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 36x55 drop-in electric smooth 400 V / 3N		
Model	**SAP Code**	00007454
FTLD-64ET	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00007454
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   220
5. **Net Weight [kg]:**
   25.00
6. **Gross Width [mm]:**
   430
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   30.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    4.500
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    Stainless steel
17. **Indicators:**
    operation and warm-up
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    Stainless steel
20. **Worktop Thickness [mm]:**
    14.00
21. **Standard equipment for device:**
    comes with a stainless steel scraper for cleaning pastries
22. **Maximum device temperature [°C]:**
    300
23. **Minimum device temperature [°C]:**
    50
24. **Service accessibility:**
    Trough the frontal panel
25. **Safety thermostat:**
    Yes
26. **Adjustable feet:**
    No
27. **Griddle dimensions [mm x mm]:**
    600 x 400
28. **Griddle thickness [mm]:**
    14.00

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 36x55 drop-in electric smooth 400 V / 3N		
Model	**SAP Code**	00007454
FTLD-64ET	**A group of articles - web**	Grills and grill plates

29. Container for liquid fat:
Yes

30. Removable rim:
Yes

31. Grid size [mm x mm]:
450 x 395

32. Top type:
Smooth

33. Cross-section of conductors CU [mm²]:
1

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062