



Universal mixer planetary 3 speed 8 l 230 V		
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots




- Control type: Digital
- Safety cover: polycarbonate with squeegee
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Way of tool mounting: Planets


SAP Code	00003711	Net Weight [kg]	25.00
Net Width [mm]	300	Power electric [kW]	0.200
Net Depth [mm]	400	Loading	230 V / 1N - 50 Hz
Net Height [mm]	580	Weight capacity of the device container [kg]	8.00



Technical drawing

Universal mixer planetary 3 speed 8 l 230 V		
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots









Universal mixer planetary 3 speed 8 l 230 V		
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots

### Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- Additional devices
  the possibility of grinding or grinding, or wiper arms, or handling carts
- Content 5 80L wide sortiment
- Safety microswitch
  without closing the microswitch, the machine
  will not start
- Protective cover with filling opening without closing the microswitch, the machine will not start
- Whisk, hook, stirrer great basic equipment
- No oil bath the robot has a gearbox that is not stored in an oil basin
- Reduction boiler

  possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original



#### Technical parameters

Universal mixer planetary 3 spee	d 8 l 230 V	
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots
<b>1. SAP Code:</b> 00003711		13. Number of speeds of device:
2. Net Width [mm]: 300		14. Control type: Digital
3. Net Depth [mm]: 400		<b>15. Safety cover:</b> polycarbonate with squeegee
<b>4. Net Height [mm]:</b> 580		16. Safety element:  total stop complete stop of the device in case of opening the container protects the operator from injury
<b>5. Net Weight [kg]:</b> 25.00		17. Way of tool mounting:  Planets
<b>6. Gross Width [mm]:</b> 330		18. Safety Microswitch: Yes
<b>7. Gross depth [mm]:</b> 430		19. Start /stop: Yes
8. Gross Height [mm]: 700		<b>20. Timer:</b> Yes
<b>9. Gross Weight [kg]:</b> 30.00		<b>21. Standard equipment for device:</b> boiler, whisk, hook, stirrer
<b>10. Device type:</b> Electric unit		<b>22. Unmountable bowl:</b> Yes
11. Power electric [kW]: 0.200		23. Weight capacity of the device container [kg]: 8.00
12. Loading:		24. Cross-section of conductors CU [mm²]:

0,5

230 V / 1N - 50 Hz