

# Technical data sheet

## Product features



### Cooking range glass ceramic drop-in electric 4x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007447 |
| PCCD-68ET    | <b>A group of articles - web</b> | Stoves   |



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Power consumption of the zone 3 [kW]: 2,5
- Power consumption of the zone 4 [kW]: 2,5
- Protection of controls: IPX5
- Material: Stainless steel

|                            |                    |                                             |           |
|----------------------------|--------------------|---------------------------------------------|-----------|
| <b>SAP Code</b>            | 00007447           | <b>Number of zones</b>                      | 4         |
| <b>Net Width [mm]</b>      | 800                | <b>Power consumption of the zone 1 [kW]</b> | 2,5       |
| <b>Net Depth [mm]</b>      | 600                | <b>Power consumption of the zone 2 [kW]</b> | 2,5       |
| <b>Net Height [mm]</b>     | 50                 | <b>Power consumption of the zone 3 [kW]</b> | 2,5       |
| <b>Net Weight [kg]</b>     | 35.00              | <b>Power consumption of the zone 4 [kW]</b> | 2,5       |
| <b>Power electric [kW]</b> | 10.000             | <b>Ceramic glass dimensions [mm]</b>        | 350 x 570 |
| <b>Loading</b>             | 400 V / 3N - 50 Hz |                                             |           |


# Technical data sheet

Technical drawing



## Cooking range glass ceramic drop-in electric 4x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007447 |
| PCCD-68ET    | <b>A group of articles - web</b> | Stoves   |



|   |            |  |   |                       |  |
|---|------------|--|---|-----------------------|--|
| A | Data plate |  | B | Electrical connection |  |
|---|------------|--|---|-----------------------|--|

# Technical data sheet

## Product benefits



### Cooking range glass ceramic drop-in electric 4x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007447 |
| PCCD-68ET    | <b>A group of articles - web</b> | Stoves   |

1

#### Glass ceramic surface

- quick warm-up
- uniform heating and residual heat indicator
  - saving time in food preparation
  - no reheating and long cooking times
  - material does not rust

2

#### Internal thermostatic plate protection

- longer service life of the plates
  - no overheating of the plates and no cracking

3

#### Degree of protection of the control elements IPX5

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- the material does not cut
- wear resistance of the material
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

5

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
  - easy quick cleaning

6

#### Variability

- the possibility of attaching to a fixed plate as part of a monoblock
- the possibility of creating one module
- long life
  - cost saving
  - space saving
  - long service life

# Technical data sheet

## Technical parameters



### Cooking range glass ceramic drop-in electric 4x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007447 |
| PCCD-68ET    | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00007447

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

600

**4. Net Height [mm]:**

50

**5. Net Weight [kg]:**

35.00

**6. Gross Width [mm]:**

1080

**7. Gross depth [mm]:**

630

**8. Gross Height [mm]:**

470

**9. Gross Weight [kg]:**

40.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Drop-in

**12. Power electric [kW]:**

10.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX5

**15. Material:**

Stainless steel

**16. Worktop type:**

Molded - comfortable cleaning maintenance

**17. Worktop material:**

AISI 304

**18. Worktop Thickness [mm]:**

2.00

**19. Number of zones:**

4

**20. Power consumption of the zone 1 [kW]:**

2,5

**21. Power consumption of the zone 2 [kW]:**

2,5

**22. Power consumption of the zone 3 [kW]:**

2,5

**23. Power consumption of the zone 4 [kW]:**

2,5

**24. Number of power control stages:**

6

**25. Service accessibility:**

From the front by removing the front panel and waste fluid containers

**26. Safety element:**

internal thermostatic protection of the hotplate  
against overheating  
residual heat warning light

# Technical data sheet

Technical parameters



## Cooking range glass ceramic drop-in electric 4x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007447 |
| PCCD-68ET    | <b>A group of articles - web</b> | Stoves   |

### 27. Safety thermostat:

Yes

### 30. Ceramic glass dimensions [mm]:

350 x 570

### 28. Number of burners/hot plates:

4

### 31. Cross-section of conductors CU [mm<sup>2</sup>]:

2,5

### 29. Type of electric cooking zones:

Glass ceramic