# Technical data sheet

Product features

| Vacuum packing machine 20 m3/h, 460 mm 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013550 |
| VBD 20B | **A group of articles - web** | Vacuum packs |



- Vacuum pump power [m3/h]: 20
- Length of sealing bar [mm]: 460
- Width of internal part [mm]: 470
- Depth of internal part [mm]: 530
- Height of internal part [mm]: 210
- Control type: Digital
- Gas flush: No
- Number of programs: 10
- Sealing time adjustment: Yes
- Vacuum time adjustment: Yes
- Lid security element: Yes
- Manometer: Yes

| | | | |
|---|---|---|---|
| **SAP Code** | 00013550 | **Loading** | 230 V / 1N - 50 Hz |
| **Net Width [mm]** | 545 | **Vacuum pump power [m3/h]** | 20 |
| **Net Depth [mm]** | 650 | **Length of sealing bar [mm]** | 460 |
| **Net Height [mm]** | 550 | **Width of internal part [mm]** | 470 |
| **Net Weight [kg]** | 67.00 | **Depth of internal part [mm]** | 530 |
| **Power electric [kW]** | 0.750 | **Height of internal part [mm]** | 210 |





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical drawing

| Vacuum packing machine 20 m3/h, 460 mm 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013550 |
| VBD 20B | **A group of articles - web** | Vacuum packs |






RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Vacuum packing machine 20 m3/h, 460 mm 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013550 |
| VBD 20B | **A group of articles - web** | Vacuum packs |

**1** **Adjustable welding time**

tighter packaging closure

- greater security of closure
- less error in operation

**2** **Convex plexiglass cover**

greater variability of vacuuming

- possibility to vacuum larger quantities at once

**3** **Stainless steel chamber**

endurance
easy maintenance

- easy to maintain thanks to the stainless steel chamber
- hygienic cleanliness

**4** **Softair slow return of air to the chamber**

care for the product and the bag

- softair eliminates the risk of damage to the bag and the vacuumed food, thus saving costs

**5** **Rubber feet**

vibration elimination

- nižší hlučnost zařízení
- prodloužení životnosti



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Vacuum packing machine 20 m3/h, 460 mm 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013550 |
| VBD 20B | **A group of articles - web** | Vacuum packs |

1. **SAP Code:**
   00013550
2. **Net Width [mm]:**
   545
3. **Net Depth [mm]:**
   650
4. **Net Height [mm]:**
   550
5. **Net Weight [kg]:**
   67.00
6. **Gross Width [mm]:**
   700
7. **Gross depth [mm]:**
   700
8. **Gross Height [mm]:**
   620
9. **Gross Weight [kg]:**
   73.00
10. **Device type:**
    Electric unit
11. **Material:**
    Stainless steel
12. **Power electric [kW]:**
    0.750
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Control type:**
    Digital
15. **Safety cover:**
    transparent plexiglass
16. **Safety element:**
    lid opening fuse
17. **Main switch:**
    Yes
18. **Timer:**
    Yes
19. **Gas flush:**
    No
20. **Vacuum pump power [m3/h]:**
    20
21. **Length of sealing bar [mm]:**
    460
22. **Number of programs:**
    10
23. **Sealing time adjustment:**
    Yes
24. **Vacuum time adjustment:**
    Yes
25. **Lid security element:**
    Yes
26. **Manometer:**
    Yes
27. **Width of internal part [mm]:**
    470
28. **Depth of internal part [mm]:**
    530



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Vacuum packing machine 20 m3/h, 460 mm 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013550 |
| VBD 20B | **A group of articles - web** | Vacuum packs |

**29. Height of internal part [mm]:**
210

**30. Cross-section of conductors CU [mm²]:**
0,5



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062