Technical data sheet

Product features

Freezing counter GN 1/1, 2 door, without splash back, stainless steel 230 V / 1N		
Model	**SAP Code**	00021219
SM 2D DH	**A group of articles - web**	Cooling and freezing tables



- Material: AISI 304 top plate and cladding
- GN / EN size in device: GN 1/1
- Number of GN / EN: 2
- Number of doors: 2
- Number of drawers: 0
- Control type: Digital
- Minimum device temperature [°C]: -24
- Maximum device temperature [°C]: -18
- Max ambient temperature [°C]: 43
- Insulation thickness [mm]: 70
- Unit: Right


SAP Code	00021219	**Number of GN / EN**	2
Net Width [mm]	1380	**GN / EN size in device**	GN 1/1
Net Depth [mm]	700	**GN device depth**	200
Net Height [mm]	900	**Minimum device temperature [°C]**	-24
Net Weight [kg]	110.00	**Maximum device temperature [°C]**	-18
Power electric [kW]	0.400	**Refrigerant**	R290
Loading	230 V / 1N - 50 Hz	**Worktop material**	AISI 304
Energy class	G	**Maximal height of GN [mm]**	200
Number of doors	2	**Climate class**	5
Number of drawers	0		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


Technical data sheet

Technical drawing

Freezing counter GN 1/1, 2 door, without splash back, stainless steel 230 V / 1N		
Model	**SAP Code**	00021219
SM 2D DH	**A group of articles - web**	Cooling and freezing tables







RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Freezing counter GN 1/1, 2 door, without splash back, stainless steel 230 V / 1N		
Model	**SAP Code**	00021219
SM 2D DH	**A group of articles - web**	Cooling and freezing tables

1 **Climate class tropico**

works up to 43 °C

- guaranteed operation even in a warm kitchen environment

2 **Insulation 60mm**

minimal losses

- low energy consumption
- less environmental burden

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Freezing counter GN 1/1, 2 door, without splash back, stainless steel 230 V / 1N		
Model	**SAP Code**	00021219
SM 2D DH	**A group of articles - web**	Cooling and freezing tables

1. **SAP Code:**
   00021219
2. **Net Width [mm]:**
   1380
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   110.00
6. **Gross Width [mm]:**
   1450
7. **Gross depth [mm]:**
   750
8. **Gross Height [mm]:**
   950
9. **Gross Weight [kg]:**
   140.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.400
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Energy class:**
    G
14. **Refrigerant:**
    R290
15. **Cooling type:**
    Dinamic
16. **Material:**
    AISI 304 top plate and cladding
17. **Exterior color of the device:**
    Stainless steel
18. **Min ambient temperature [°C]:**
    10
19. **Max ambient temperature [°C]:**
    43
20. **Device properties 2:**
    Freezing
21. **GN / EN size in device:**
    GN 1/1
22. **Number of internal parts:**
    2
23. **Number of GN / EN:**
    2
24. **GN device depth:**
    200
25. **Worktop material:**
    AISI 304
26. **Adjustable feet:**
    Yes
27. **Pizza design:**
    No
28. **Insulation thickness [mm]:**
    70

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Freezing counter GN 1/1, 2 door, without splash back, stainless steel 230 V / 1N		
Model	**SAP Code**	00021219
SM 2D DH	**A group of articles - web**	Cooling and freezing tables

29. Gasket:
Yes

30. Number of doors:
2

31. Number of drawers:
0

32. Unit:
Right

33. Control type:
Digital

34. Door lock:
No

35. Minimum device temperature [°C]:
-24

36. Maximum device temperature [°C]:
-18

37. Maximal height of GN [mm]:
200

38. Gross Volume [m3]:
1.033

39. Net Volume [m3]:
0.869

40. Climate class:
5

41. Cross-section of conductors CU [mm²]:
0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062