

Technical data sheet

Product features



Pizza oven 2 chambers 18x d=33 cm

Model	SAP Code	00007284
P 18	A group of articles - web	Pizza ovens



- Pizza capacity [cm]: 18x 33 cm
- Stoneplates: Bottom and top
- Material: Stainless steel
- Control type: Mechanical
- Type of handle: in the entire length of the door, stainless steel
- Independent heating zones: Separate control for each chamber, separate control for the upper and lower heating element
- Type of construction: two-story
- Chimney for moisture extraction: Yes
- Adjustable chimney: Yes
- Interior lighting: Yes

SAP Code	00007284	Minimum device temperature [°C]	50
Net Width [mm]	1305	Maximum device temperature [°C]	450
Net Depth [mm]	1185	Width of internal part [mm]	1050
Net Height [mm]	763	Depth of internal part [mm]	1050
Net Weight [kg]	243.00	Height of internal part [mm]	150
Power electric [kW]	24.000	Pizza capacity [cm]	18x 33 cm
Loading	400 V / 3N - 50 Hz		


Technical data sheet

Technical drawing



Pizza oven 2 chambers 18x d=33 cm

Model	SAP Code	00007284
P 18	A group of articles - web	Pizza ovens



Technical data sheet

Product benefits



Pizza oven 2 chambers 18x d=33 cm

Model	SAP Code	00007284
P 18	A group of articles - web	Pizza ovens

1

Stainless steel outer shell construction

easy cleaning, high hygienic standard, long service life

- cost savings on the purchase of a new machine, time savings on cleaning and cleaning comfort

2

Chamber heating in the temperature range of 50 to 450°C

the temperature range enables the preparation of various types of dough and meat; can also be used for baking

- we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven

3

Fireclay plate 14mm placed below with heaters under the plate

proper accumulation and uniformity of heat distribution

- no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker

4

Glass set in the door

checking the product during heat treatment without having to open the door

- I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy

5

2x thermostat, separate control of upper and lower heaters

more precise regulation of heat in the chamber, according to the type of dough or food

- better final product quality; non-scorching, variability
- suitable for various adjustments, better comfort for the experienced cook, suitable for professionals

6

Digital chamber thermometer

better visibility than analog
accurate data

- easier operation

Technical data sheet

Technical parameters



Pizza oven 2 chambers 18x d=33 cm

Model	SAP Code	00007284
P 18	A group of articles - web	Pizza ovens

1. SAP Code:

00007284

2. Net Width [mm]:

1305

3. Net Depth [mm]:

1185

4. Net Height [mm]:

763

5. Net Weight [kg]:

243.00

6. Gross Width [mm]:

1285

7. Gross depth [mm]:

1405

8. Gross Height [mm]:

863

9. Gross Weight [kg]:

245.00

10. Exterior color of the device:

Stainless steel

11. Material:

Stainless steel

12. Device type:

Electric unit

13. Power electric [kW]:

24.000

14. Loading:

400 V / 3N - 50 Hz

15. Control type:

Mechanical

16. Width of internal part [mm]:

1050

17. Depth of internal part [mm]:

1050

18. Height of internal part [mm]:

150

19. Minimum device temperature [°C]:

50

20. Maximum device temperature [°C]:

450

21. Pizza capacity [cm]:

18x 33 cm

22. Thermometer:

Analog

23. Indicators:

running and heating the oven

24. Number of internal parts:

18

25. On/Off button:

Yes

26. Type of handle:

in the entire length of the door, stainless steel

27. Protection of controls:

IPX4

28. Stoneplates:

Bottom and top

Technical data sheet

Technical parameters



Pizza oven 2 chambers 18x d=33 cm

Model	SAP Code	00007284
P 18	A group of articles - web	Pizza ovens

29. Independent heating zones:

Separate control for each chamber, separate control for the upper and lower heating element

30. Type of construction:

two-story

31. Interior lighting:

Yes

32. Safety element:

thermostat

33. Number of cavities:

2

34. Chimney for moisture extraction:

Yes

35. Adjustable chimney:

Yes

36. Cross-section of conductors CU [mm²]:

10