Technical data sheet

Product features

Mobile electric bain-marie GN 4-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00020165
BMPK 4120 CS	**A group of articles - web**	Sideboards and showcases



- Device properties: Warmed
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 30
- Maximum device temperature [°C]: 90


SAP Code	00020165	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	650	**GN / EN size in device**	GN 1/1
Net Depth [mm]	1700	**GN device depth**	200
Net Height [mm]	900	**Minimum device temperature [°C]**	30
Net Weight [kg]	100.00	**Maximum device temperature [°C]**	90
Power electric [kW]	2.800		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Mobile electric bain-marie GN 4-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00020165
BMPK 4120 CS	**A group of articles - web**	Sideboards and showcases



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Mobile electric bain-marie GN 4-1/1 clad with controls on the shorter side 230 V / 1N		
Model	**SAP Code**	00020165
BMPK 4120 CS	**A group of articles - web**	Sideboards and showcases

1. **SAP Code:**
   00020165
2. **Net Width [mm]:**
   650
3. **Net Depth [mm]:**
   1700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   100.00
6. **Gross Width [mm]:**
   730
7. **Gross depth [mm]:**
   1720
8. **Gross Height [mm]:**
   920
9. **Gross Weight [kg]:**
   110.00
10. **Device type:**
    Electric unit
11. **Material:**
    AISI 304 top plate, AISI 430 cladding
12. **Device properties:**
    Warmed
13. **Exterior color of the device:**
    Stainless steel
14. **Power electric [kW]:**
    2.800
15. **Loading:**
    230 V / 1N - 50 Hz
16. **GN / EN size in device:**
    GN 1/1
17. **GN device depth:**
    200
18. **Minimum device temperature [°C]:**
    30
19. **Maximum device temperature [°C]:**
    90
20. **Cross-section of conductors CU [mm²]:**
    0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062