

# Technical data sheet

## Product features



### Meat mincer 1 grinding group removable grinding unit 500 kg/h 400 V

|              |                                  |               |
|--------------|----------------------------------|---------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00004840      |
| TS 32        | <b>A group of articles - web</b> | Meat grinders |



- Composition for meat grinders: Single composition
- Maximal production per hour [kg/h]: 500
- Unmountable head: Yes
- Material: Stainless steel
- Diameter of inner matrix [mm]: 6
- Diameter of outer matrix [mm]: 100
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for meat and sausage shops
- Additional information: tomato press can be purchased
- Main switch: Yes

|                        |          |                                           |                    |
|------------------------|----------|-------------------------------------------|--------------------|
| <b>SAP Code</b>        | 00004840 | <b>Power electric [kW]</b>                | 2.200              |
| <b>Net Width [mm]</b>  | 320      | <b>Loading</b>                            | 400 V / 3N - 50 Hz |
| <b>Net Depth [mm]</b>  | 520      | <b>Maximal production per hour [kg/h]</b> | 500                |
| <b>Net Height [mm]</b> | 550      | <b>Unmountable head</b>                   | Yes                |
| <b>Net Weight [kg]</b> | 53.00    | <b>Composition for meat grinders</b>      | Single composition |

# Technical data sheet

Technical drawing



**Meat mincer 1 grinding group removable grinding unit 500 kg/h 400 V**

|              |                                  |               |
|--------------|----------------------------------|---------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00004840      |
| TS 32        | <b>A group of articles - web</b> | Meat grinders |

# Technical data sheet

## Product benefits



### Meat mincer 1 grinding group removable grinding unit 500 kg/h 400 V

|       |                           |               |
|-------|---------------------------|---------------|
| Model | SAP Code                  | 00004840      |
| TS 32 | A group of articles - web | Meat grinders |

1

#### Single composition

simplicity

- one-piece assembly makes it very easy to assemble and disassemble

2

#### Production 500kg/h

large capacity

- great price/performance ratio
- time and cost saving

3

#### All-stainless design

robustness

purity

- long service life
- very easy to clean

4

#### Removable head

easy maintenance

hygienic cleanliness

- thanks to the removable head, it is much easier to clean and thus saves time
- better cleaning quality ensures hygienic safety

5

#### Stainless steel hopper

easy maintenance

hygienic cleanliness

- very long hopper life due to robustness
- very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners

# Technical data sheet

## Technical parameters



### Meat mincer 1 grinding group removable grinding unit 500 kg/h 400 V

|              |                                  |               |
|--------------|----------------------------------|---------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00004840      |
| TS 32        | <b>A group of articles - web</b> | Meat grinders |

**1. SAP Code:**

00004840

**2. Net Width [mm]:**

320

**3. Net Depth [mm]:**

520

**4. Net Height [mm]:**

550

**5. Net Weight [kg]:**

53.00

**6. Gross Width [mm]:**

420

**7. Gross depth [mm]:**

570

**8. Gross Height [mm]:**

680

**9. Gross Weight [kg]:**

59.00

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Power electric [kW]:**

2.200

**13. Loading:**

400 V / 3N - 50 Hz

**14. Control type:**

Mechanical

**15. Suitable consumer:**

suitable for meat and sausage shops

**16. Main switch:**

Yes

**17. Unmountable head:**

Yes

**18. Maximal production per hour [kg/h]:**

500

**19. Standard equipment for device:**

plastic push pin

**20. Additional information:**

tomato press can be purchased

**21. Composition for meat grinders:**

Single composition

**22. Diameter of inner matrix [mm]:**

6

**23. Diameter of outer matrix [mm]:**

100

**24. Inverse of device:**

Yes

**25. Cross-section of conductors CU [mm<sup>2</sup>]:**

1