# Technical data sheet

Product features

| Meat mincer 1 grinding group removable grinding unit 160 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004834 |
| TS 12 EM | **A group of articles - web** | Meat grinders |



- Composition for meat grinders: Single composition
- Maximal production per hour [kg/h]: 160
- Unmountable head: Yes
- Material: Aluminium
- Diameter of inner matrix [mm]: 6
- Diameter of outer matrix [mm]: 70
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for medium-sized restaurants
- Additional information: tomato press can be purchased
- Main switch: Yes

| | | | |
|---|---|---|---|
| **SAP Code** | 00004834 | **Power electric [kW]** | 0.750 |
| **Net Width [mm]** | 290 | **Loading** | 230 V / 1N - 50 Hz |
| **Net Depth [mm]** | 400 | **Maximal production per hour [kg/h]** | 160 |
| **Net Height [mm]** | 510 | **Unmountable head** | Yes |
| **Net Weight [kg]** | 20.00 | **Composition for meat grinders** | Single composition |





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical drawing

| Meat mincer 1 grinding group removable grinding unit 160 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004834 |
| TS 12 EM | **A group of articles - web** | Meat grinders |








RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Meat mincer 1 grinding group removable grinding unit 160 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004834 |
| TS 12 EM | **A group of articles - web** | Meat grinders |

**1** **Single composition**

simplicity

- one-piece assembly makes it very easy to assemble and disassemble

**2** **Reverse gear**

easy to control

- no need to disassemble the grinder when the auger is overloaded

**3** **Production 160 kg/h**

big capacitance so small machine

- great price/performance ratio
- time and cost saving

**4** **Polished aluminum body**

robustness
purity

- long service life
- very easy to clean

**5** **Removable head**

robustness
purity

- thanks to the removable head, it is much easier to clean and thus saves time
- better cleaning quality ensures hygienic safety

**6** **Stainless steel hopper**

durability
hygienic cleanliness

- very long hopper life due to robustness
- very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Meat mincer 1 grinding group removable grinding unit 160 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004834 |
| TS 12 EM | **A group of articles - web** | Meat grinders |

1. **SAP Code:**
   00004834
2. **Net Width [mm]:**
   290
3. **Net Depth [mm]:**
   400
4. **Net Height [mm]:**
   510
5. **Net Weight [kg]:**
   20.00
6. **Gross Width [mm]:**
   300
7. **Gross depth [mm]:**
   470
8. **Gross Height [mm]:**
   480
9. **Gross Weight [kg]:**
   22.00
10. **Device type:**
    Electric unit
11. **Material:**
    Aluminium
12. **Exterior color of the device:**
    Stainless steel
13. **Power electric [kW]:**
    0.750
14. **Loading:**
    230 V / 1N - 50 Hz
15. **Control type:**
    Mechanical
16. **Suitable consumer:**
    suitable for medium-sized restaurants
17. **Main switch:**
    Yes
18. **Unmountable head:**
    Yes
19. **Maximal production per hour [kg/h]:**
    160
20. **Standard equipment for device:**
    plastic push pin
21. **Additional information:**
    tomato press can be purchased
22. **Composition for meat grinders:**
    Single composition
23. **Diameter of inner matrix [mm]:**
    6
24. **Diameter of outer matrix [mm]:**
    70
25. **Inverse of device:**
    Yes
26. **Cross-section of conductors CU [mm$^2$]:**
    0,5



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062