# Technical data sheet

Product features

| Multi-function fixed braising pan drop-in bowl electric 11 l TOP 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00007474 |
| BRFD-64ET | **A group of articles - web** | Pans |



- Bottom material: Stainless steel - suitable for cooking, easy maintenance
- Bottom thickness: 16.00
- Basin volume [l]: 11
- Usable volume [l]: 11
- Protection of controls: IPX5
- Basin dimensions [mm x mm x mm]: 300 x 510 x 100
- Service accessibility: Trough the frontal panel

| | |
|---|---|
| **SAP Code** | 00007474 |
| **Net Width [mm]** | 400 |
| **Net Depth [mm]** | 600 |
| **Net Height [mm]** | 280 |
| **Net Weight [kg]** | 20.00 |
| **Power electric [kW]** | 4.000 |
| **Loading** | 400 V / 3N - 50 Hz |

| | |
|---|---|
| **Bottom material** | Stainless steel - suitable for cooking, easy maintenance |
| **Basin volume [l]** | 11 |
| **Usable volume [l]** | 11 |
| **Width of internal part [mm]** | 300 |
| **Depth of internal part [mm]** | 510 |
| **Height of internal part [mm]** | 100 |




RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical drawing

**Multi-function fixed braising pan drop-in bowl electric 11 l TOP 400 V / 3N**

| Model | SAP Code | 00007474 |
|---|---|---|
| BRFD-64ET | A group of articles - web | Pans |




| Descrizione | A | B |
|---|---|---|
| BRFD-64ET | 400 mm | 310 mm |
| BRFD-68ET | 800 mm | 710 mm |

| | | | | | |
|---|---|---|---|---|---|
| A | Data plate | | B | Electrical connection | |



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Multi-function fixed braising pan drop-in bowl electric 11 l TOP 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00007474 |
| BRFD-64ET | **A group of articles - web** | Pans |

**1** **All-pink removable design**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

**2** **Degree of protection of the control elements IPX5**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

**3** **Outlet into a removable collector**

outlet of the bath into the prepared container

- easy and safe handling


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Multi-function fixed braising pan drop-in bowl electric 11 l TOP 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00007474 |
| BRFD-64ET | **A group of articles - web** | Pans |

1. **SAP Code:**
   00007474
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   280
5. **Net Weight [kg]:**
   20.00
6. **Gross Width [mm]:**
   430
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   28.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    4.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Material:**
    AISI 304
16. **Indicators:**
    operation and warm-up
17. **Basin volume [l]:**
    11
18. **Basin dimensions [mm x mm x mm]:**
    300 x 510 x 100
19. **Maximum device temperature [°C]:**
    300
20. **Minimum device temperature [°C]:**
    50
21. **Power control type:**
    knob control
22. **Service accessibility:**
    Trough the frontal panel
23. **Additional information:**
    outlet to removable collector in the substructure
24. **Bottom thickness:**
    16.00
25. **Bottom material:**
    Stainless steel - suitable for cooking, easy maintenance
26. **Usable volume [l]:**
    11
27. **Drain:**
    Yes
28. **Width of internal part [mm]:**
    300



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Multi-function fixed braising pan drop-in bowl electric 11 l TOP 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00007474 |
| BRFD-64ET | **A group of articles - web** | Pans |

**29. Depth of internal part [mm]:**
510

**30. Height of internal part [mm]:**
100

**31. Cross-section of conductors CU [mm²]:**
1



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062