Technical data sheet

Product features

Slicer gear, blade 220 mm serrated 230 V / 1N		
Model	**SAP Code**	00006721
GMS 220 Z	**A group of articles - web**	Cutting machines



- Blade type: Serrated
- Blade diameter [mm]: 220
- Cutting thickness [mm]: 0 - 14
- Useful Cut [mm]: 195 x155
- Transfer type: Snail
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: motor with fan and overheating protection
  stainless steel blade guard
  transparent finger protection
- Suitable consumer: suitable for small restaurants
  and snack bars
- Table position: Oblique
- On/Off button: Yes
- Continous work limit: running time without limitation

SAP Code	00006721	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	445	**Blade type**	Serrated
Net Depth [mm]	380	**Blade diameter [mm]**	220
Net Height [mm]	370	**Cutting thickness [mm]**	0 - 14
Net Weight [kg]	12.50	**Useful Cut [mm]**	195 x155
Power electric [kW]	0.140		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Slicer gear, blade 220 mm serrated 230 V / 1N		
Model	**SAP Code**	00006721
GMS 220 Z	**A group of articles - web**	Cutting machines

Model	A	B	C	D	E
GMS 220	275	375	380	445	370
GMS 250	275	430	425	525	380
GMS 275 XL	350	490	480	510	400
GMS 300	350	490	480	580	515



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Slicer gear, blade 220 mm serrated 230 V / 1N		
Model	**SAP Code**	00006721
GMS 220 Z	**A group of articles - web**	Cutting machines

1 **Aluminum alloy body**

robustness
purity

- long service life
- very easy to clean

2 **Worm gear**

long service life

- thanks to the worm gear and the more powerful motor, it can be used de facto continuously

3 **Anti-stick treatment of the knife including anti-stick grooves**

less adhesion of the sliced food to the knife

- thanks to the blade design, even softer foods can be cut, saving costs and time

4 **Fan-cooled motor with overheating protection**

greater capacity of processed food
long life

- can work longer thanks to cooling
- less risk of overheating and engine damage due to cooling

5 **Finger protection**

high operational safety

- the finger guard minimises the risk of accidents at work

6 **Serrated knife**

better cutting quality of soft foods

- smoother and faster slicing of soft foods saves time and costs

7 **Grinding equipment included in the price**

guaranteed sharpness of the knife
quick maintenance

- no additional costs for external grinding
- easy maintenance
- immediate solution
- time saving

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Slicer gear, blade 220 mm serrated 230 V / 1N		
Model	**SAP Code**	00006721
GMS 220 Z	**A group of articles - web**	Cutting machines

1. **SAP Code:**
   00006721
2. **Net Width [mm]:**
   445
3. **Net Depth [mm]:**
   380
4. **Net Height [mm]:**
   370
5. **Net Weight [kg]:**
   12.50
6. **Gross Width [mm]:**
   480
7. **Gross depth [mm]:**
   580
8. **Gross Height [mm]:**
   460
9. **Gross Weight [kg]:**
   14.00
10. **Device type:**
    Electric unit
11. **Material:**
    Aluminium
12. **Power electric [kW]:**
    0.140
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Control type:**
    Mechanical
15. **Safety cover:**
    transparent plexiglass
16. **Safety element:**
    motor with fan and overheating protection
    stainless steel blade guard
    transparent finger protection
17. **Suitable consumer:**
    suitable for small restaurants and snack bars
18. **Engine protection:**
    fan and overheating protection
19. **Adjustable feet:**
    Yes
20. **Main switch:**
    Yes
21. **Transfer type:**
    Snail
22. **Blade type:**
    Serrated
23. **Blade diameter [mm]:**
    220
24. **Useful Cut [mm]:**
    195 x155
25. **On/Off button:**
    Yes
26. **Continous work limit:**
    running time without limitation

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Slicer gear, blade 220 mm serrated 230 V / 1N		
Model	**SAP Code**	00006721
GMS 220 Z	**A group of articles - web**	Cutting machines

27. Removable moving table:
Yes

28. Anti-adhesive blade treatment:
Yes

29. Table position:
Oblique

30. Blade cover material:
Stainless steel

31. Sharpening device:
Additional included in the price

32. Blade hardness:
58-59 HRC

33. Cutting thickness [mm]:
0 - 14

34. Cross-section of conductors CU [mm²]:
0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062