



Universal mixer planetary 3 speed 8 l 230 V		
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots




- Control type: Digital
- Safety cover: polycarbonate with squeegee
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Way of tool mounting: Planets


SAP Code	00003711	Net Weight [kg]	25.00
Net Width [mm]	300	Power electric [kW]	0.200
Net Depth [mm]	400	Loading	230 V / 1N - 50 Hz
Net Height [mm]	580	Weight capacity of the device container [kg]	8.00



Technical drawing

Universal mixer planetary 3 speed 8 l 230 V		
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots









Universal mixer planetary 3 speed 8 l 230 V			
Model	SAP Code	00003711	
RM 800	A group of articles - web	Cutters and universal robots	

### Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- better mixing of ingredients; better quality of prepared dough
- Additional devices
  the possibility of grinding or grinding, or wiper arms, or handling carts
  - mutifunctionality
- Content 5 80L
  wide sortiment
  - always the ideal size for every operation
- Safety microswitch
  without closing the microswitch, the machine
  will not start
  - avoiding possible injury to the operator
     Protective cover with filling opening
  - without closing the microswitch, the machine will not start
    - Ingredients can be added additionally while ensuring the safety of the staff
- Whisk, hook, stirrer
   great basic equipment
   there is no need to buy additional equipment for whipping or kneading
- No oil bath
  the robot has a gearbox that is not stored in an oil basin
  no release of gear oil into the food
- Reduction boiler

  possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original
  - simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



#### Technical parameters

Universal mixer planetary 3 spec	ed 8 l 230 V	
Model	SAP Code	00003711
RM 800	A group of articles - web	Cutters and universal robots
<b>1. SAP Code:</b> 00003711		13. Number of speeds of device: 3
<b>2. Net Width [mm]:</b> 300		14. Control type: Digital
<b>3. Net Depth [mm]:</b> 400		<b>15. Safety cover:</b> polycarbonate with squeegee
4. Net Height [mm]: 580		16. Safety element:  total stop complete stop of the device in case of opening the container protects the operator from injury
5. Net Weight [kg]: 25.00		17. Way of tool mounting: Planets
<b>6. Gross Width [mm]:</b> 330		<b>18. Safety Microswitch:</b> Yes
7. Gross depth [mm]: 430		19. Start /stop: Yes
8. Gross Height [mm]: 700		20. Timer: Yes
9. Gross Weight [kg]: 30.00		21. Standard equipment for device: boiler, whisk, hook, stirrer
<b>10. Device type:</b> Electric unit		<b>22. Unmountable bowl:</b> Yes
11. Power electric [kW]: 0.200		23. Weight capacity of the device container [kg]: 8.00
12. Loading:		24. Cross-section of conductors CU [mm²]:

0,5

230 V / 1N - 50 Hz