

# Technical data sheet

## Product features



### Slicer gear, blade 220 mm plain

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001183         |
| GMS 220      | <b>A group of articles - web</b> | Cutting machines |



- Blade type: Smooth
- Blade diameter [mm]: 220
- Cutting thickness [mm]: 0 - 14
- Useful Cut [mm]: 195 x155
- Transfer type: Snail
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: motor with fan and overheating protection  
stainless steel blade  
guard  
transparent finger protection
- Suitable consumer: suitable for small restaurants  
and snack bars
- Table position: Oblique
- On/Off button: Yes
- Continuous work limit: running time without limitation

|                            |          |                               |                    |
|----------------------------|----------|-------------------------------|--------------------|
| <b>SAP Code</b>            | 00001183 | <b>Loading</b>                | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 445      | <b>Blade type</b>             | Smooth             |
| <b>Net Depth [mm]</b>      | 380      | <b>Blade diameter [mm]</b>    | 220                |
| <b>Net Height [mm]</b>     | 370      | <b>Cutting thickness [mm]</b> | 0 - 14             |
| <b>Net Weight [kg]</b>     | 12.50    | <b>Useful Cut [mm]</b>        | 195 x155           |
| <b>Power electric [kW]</b> | 0.140    |                               |                    |

# Technical data sheet


Technical drawing



## Slicer gear, blade 220 mm plain

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001183         |
| GMS 220      | <b>A group of articles - web</b> | Cutting machines |

| Model      | A   | B   | C   | D   | E   |
|------------|-----|-----|-----|-----|-----|
| GMS 220    | 275 | 375 | 380 | 445 | 370 |
| GMS 250    | 275 | 430 | 425 | 525 | 380 |
| GMS 275 XL | 350 | 490 | 480 | 510 | 400 |
| GMS 300    | 350 | 490 | 480 | 580 | 515 |



# Technical data sheet

## Product benefits



### Slicer gear, blade 220 mm plain

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001183         |
| GMS 220      | <b>A group of articles - web</b> | Cutting machines |

1

#### **Aluminum alloy body**

- robustness  
purity
- long service life
  - very easy to clean

2

#### **Worm gear**

- long service life
- thanks to the worm gear and the more powerful motor, it can be used de facto continuously

3

#### **Anti-stick treatment of the knife including anti-stick grooves**

- less adhesion of the sliced food to the knife
- thanks to the blade design, even softer foods can be cut, saving costs and time

4

#### **Fan-cooled motor with overheating protection**

- greater capacity of processed food  
long life
- can work longer thanks to cooling
  - less risk of overheating and engine damage due to cooling

5

#### **Finger protection**

- high operational safety
- the finger guard minimises the risk of accidents at work

6

#### **Grinding equipment included in the price**

- guaranteed sharpness of the knife  
quick maintenance
- no additional costs for external grinding
  - easy maintenance
  - immediate solution
  - time saving

# Technical data sheet

## Technical parameters



### Slicer gear, blade 220 mm plain

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001183         |
| GMS 220      | <b>A group of articles - web</b> | Cutting machines |

**1. SAP Code:**

00001183

**2. Net Width [mm]:**

445

**3. Net Depth [mm]:**

380

**4. Net Height [mm]:**

370

**5. Net Weight [kg]:**

12.50

**6. Gross Width [mm]:**

480

**7. Gross depth [mm]:**

580

**8. Gross Height [mm]:**

460

**9. Gross Weight [kg]:**

14.50

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Power electric [kW]:**

0.140

**13. Loading:**

230 V / 1N - 50 Hz

**14. Control type:**

Mechanical

**15. Safety cover:**

transparent plexiglass

**16. Safety element:**

motor with fan and overheating protection  
stainless steel blade  
guard  
transparent finger protection

**17. Suitable consumer:**

suitable for small restaurants and snack bars

**18. Engine protection:**

fan and overheating protection

**19. Adjustable feet:**

Yes

**20. Main switch:**

Yes

**21. Transfer type:**

Snail

**22. Blade type:**

Smooth

**23. Blade diameter [mm]:**

220

**24. Useful Cut [mm]:**

195 x155

**25. On/Off button:**

Yes

**26. Continuous work limit:**

running time without limitation

# Technical data sheet

## Technical parameters



### Slicer gear, blade 220 mm plain

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001183         |
| GMS 220      | <b>A group of articles - web</b> | Cutting machines |

**27. Removable moving table:**

Yes

**28. Anti-adhesive blade treatment:**

Yes

**29. Table position:**

Oblique

**30. Blade cover material:**

Stainless steel

**31. Sharpening device:**

Additional included in the price

**32. Blade hardness:**

58-59 HRC

**33. Cutting thickness [mm]:**

0 - 14

**34. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5