

# Technical data sheet

## Product features



### Cooking range gas on open cabinet

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014779 |
| SP 7120 G    | <b>A group of articles - web</b> | Stoves   |



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 7,5
- Power consumption of the zone 3 [kW]: 7,5
- Power consumption of the zone 4 [kW]: 7,5
- Power consumption of the zone 5 [kW]: 4,5
- Power consumption of the zone 6 [kW]: 4,5
- Ignition: Eternal flame
- Material: AISI 304

|                        |                                |                                             |     |
|------------------------|--------------------------------|---------------------------------------------|-----|
| <b>SAP Code</b>        | 00014779                       | <b>Number of zones</b>                      | 6   |
| <b>Net Width [mm]</b>  | 1200                           | <b>Power consumption of the zone 1 [kW]</b> | 7,5 |
| <b>Net Depth [mm]</b>  | 730                            | <b>Power consumption of the zone 2 [kW]</b> | 7,5 |
| <b>Net Height [mm]</b> | 900                            | <b>Power consumption of the zone 3 [kW]</b> | 7,5 |
| <b>Net Weight [kg]</b> | 105.00                         | <b>Power consumption of the zone 4 [kW]</b> | 7,5 |
| <b>Power gas [kW]</b>  | 39.000                         | <b>Power consumption of the zone 5 [kW]</b> | 4,5 |
| <b>Type of gas</b>     | Natural gas,<br>propane butane | <b>Power consumption of the zone 6 [kW]</b> | 4,5 |




# Technical data sheet

Technical drawing



## Cooking range gas on open cabinet

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014779 |
| SP 7120 G    | <b>A group of articles - web</b> | Stoves   |



# Technical data sheet

## Technical parameters



### Cooking range gas on open cabinet

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014779 |
| SP 7120 G    | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00014779

**2. Net Width [mm]:**

1200

**3. Net Depth [mm]:**

730

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

105.00

**6. Gross Width [mm]:**

1260

**7. Gross depth [mm]:**

820

**8. Gross Height [mm]:**

1080

**9. Gross Weight [kg]:**

121.70

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power gas [kW]:**

39.000

**13. Ignition:**

Eternal flame

**14. Type of gas:**

Natural gas, propane butane

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

AISI 304

**19. Worktop Thickness [mm]:**

1.50

**20. Number of zones:**

6

**21. Power consumption of the zone 1 [kW]:**

7,5

**22. Power consumption of the zone 2 [kW]:**

7,5

**23. Power consumption of the zone 3 [kW]:**

7,5

**24. Power consumption of the zone 4 [kW]:**

7,5

**25. Power consumption of the zone 5 [kW]:**

4,5

**26. Power consumption of the zone 6 [kW]:**

4,5

**27. Grid material:**

Cast iron

**28. Service accessibility:**

Trough the frontal panel

# Technical data sheet

Technical parameters



## Cooking range gas on open cabinet

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014779 |
| SP 7120 G    | <b>A group of articles - web</b> | Stoves   |

### 29. Safety thermocouple:

Yes

### 30. Adjustable feet:

Yes

### 31. Number of burners/hot plates:

6

### 32. Type of gas cooking zones:

Classic

### 33. Burner type:

Cast iron, detachable, with internal and external combustion

### 34. Connection to a ball valve:

1/2