


Technical data sheet

Product features



Cooking range drop-in gas 4x burner

Model	SAP Code	00007445
PCD-68G	A group of articles - web	Stoves



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 5,5
- Power consumption of the zone 3 [kW]: 5,5
- Power consumption of the zone 4 [kW]: 3,5
- Ignition: Eternal flame
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007445	Type of gas	Natural gas, propane butane
Net Width [mm]	800	Number of zones	4
Net Depth [mm]	600	Power consumption of the zone 1 [kW]	7,5
Net Height [mm]	110	Power consumption of the zone 2 [kW]	5,5
Net Weight [kg]	35.00	Power consumption of the zone 3 [kW]	5,5
Power gas [kW]	22.000	Power consumption of the zone 4 [kW]	3,5

Technical data sheet

Technical drawing



Cooking range drop-in gas 4x burner

Model


SAP Code

00007445

PCD-68G

A group of
articles - web

Stoves



A	Data plate	C	Gas connection	ISO 7-1 1/2" M
---	------------	---	----------------	----------------

Technical data sheet

Product benefits



Cooking range drop-in gas 4x burner

Model	SAP Code	00007445
PCD-68G	A group of articles - web	Stoves

1

Massive construction of burners

- high performance and efficiency
- cast iron burners removable
- long life
 - energy saving (perfect combustion)
 - time saving for food preparation
 - easy maintenance/cleaning

2

Degree of protection of the control elements IPX5

- maintenance-free system
- resistance to splash water
- long life
 - savings on service interventions
 - easy cleaning and maintenance of equipment

3

All-stainless design

- the material does not cut
- wear resistance of the material
- long life
 - savings on service interventions
 - easy cleaning and maintenance of equipment

4

Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
 - easy quick cleaning

5

Variability

- the possibility of attaching to a fixed plate as part of a monoblock
- the possibility of creating one module
- long life
 - cost saving
 - space saving
 - long service life

6

Safety element – thermocouple

- safe service for staff
- there is no unnecessary gas leakage
- long life
 - savings on service interventions
 - easier and faster operation

Technical data sheet

Technical parameters



Cooking range drop-in gas 4x burner

Model	SAP Code	00007445
PCD-68G	A group of articles - web	Stoves

1. SAP Code:

00007445

2. Net Width [mm]:

800

3. Net Depth [mm]:

600

4. Net Height [mm]:

110

5. Net Weight [kg]:

35.00

6. Gross Width [mm]:

830

7. Gross depth [mm]:

770

8. Gross Height [mm]:

540

9. Gross Weight [kg]:

40.00

10. Device type:

Gas unit

11. Construction type of device:

Drop-in

12. Power gas [kW]:

22.000

13. Ignition:

Eternal flame

14. Type of gas:

Natural gas, propane butane

15. Protection of controls:

IPX5

16. Material:

Stainless steel

17. Worktop material:

AISI 304

18. Worktop Thickness [mm]:

2.00

19. Number of zones:

4

20. Power consumption of the zone 1 [kW]:

7,5

21. Power consumption of the zone 2 [kW]:

5,5

22. Power consumption of the zone 3 [kW]:

5,5

23. Power consumption of the zone 4 [kW]:

3,5

24. Number of power control stages:

6

25. Grid material:

Cast iron

26. Service accessibility:

From the front by removing the front panel and waste fluid containers

27. Safety thermocouple:

Yes

28. Number of burners/hot plates:

4

Technical data sheet

Technical parameters



Cooking range drop-in gas 4x burner

Model	SAP Code	00007445
PCD-68G	A group of articles - web	Stoves

29. Type of gas cooking zones:

Cast iron burners

30. Connection to a ball valve:

1/2