Technical data sheet

Product features

650 W blender motor 230 V / 1N		
Model	**SAP Code**	00013286
PMF M65	**A group of articles - web**	Accessories



- Material: ABS plastic

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

650 W blender motor 230 V / 1N		
Model	**SAP Code**	00013286
PMF M65	**A group of articles - web**	Accessories

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

650 W blender motor 230 V / 1N		
Model	**SAP Code**	00013286
PMF M65	**A group of articles - web**	Accessories

1 **Powerful engine**

strength and speed, overload resistance, long life

- comfort for the operator, time saving

2 **Variable speed**

the possibility of processing different types of food

- multiple devices can be represented

3 **Engine only**

option to choose accessories as needed

- cost savings no need to buy what I don't need or, on the other hand, additional machines

4 **Ergonomic handle**

easy and convenient to use

- higher security
- less fatigue during use

5 **Stainless motor cover**

easy and convenient to use

- long service life

6 **Bayonet clutch with star shape**

perfect torque transmission
resistance to breaking out

- perfect food processing
- durability

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

650 W blender motor 230 V / 1N		
Model	**SAP Code**	00013286
PMF M65	**A group of articles - web**	Accessories

1. **SAP Code:**
   00013286
2. **Net Width [mm]:**
   130
3. **Net Depth [mm]:**
   130
4. **Net Height [mm]:**
   400
5. **Net Weight [kg]:**
   0.40
6. **Gross Width [mm]:**
   190
7. **Gross depth [mm]:**
   170
8. **Gross Height [mm]:**
   440
9. **Gross Weight [kg]:**
   0.60
10. **Material:**
    ABS plastic
11. **Gasket:**
    Yes
12. **Additional information:**
    interchangeable whisking, mixing, homogenising and emulsifying attachments
    control board with SRS system for power and speed stabilisation
13. **Connections material:**
    Polymer
14. **Control type:**
    Digital
15. **Engine protection:**
    overheating protection
16. **Ergonomic handle:**
    Yes
17. **Loading:**
    230 V / 1N - 50 Hz
18. **Main switch:**
    Yes
19. **Number of speeds of device:**
    9
20. **Power electric [kW]:**
    0.650
21. **Recommended accessories:**
    00013299;00013310;00013291;00013313;00013314;00013315;00013316;00013317;00013318;00013319
22. **Safety element:**
    thermal overload protection
23. **Mixing speed [rpm]:**
    13000
24. **Whipping speed [rpm]:**
    2000 - 9000
25. **Way of tool mounting:**
    Bayonet coupling, double, sliding nut
26. **Cross-section of conductors CU [mm²]:**
    0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062