Technical data sheet

Product features

Electric range with static oven 400 V / 3N		
Model	**SAP Code**	00014792
SPLT 7120/21 E	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Power consumption of the zone 3 [kW]: 2,5
- Power consumption of the zone 4 [kW]: 2,5
- Power consumption of the zone 5 [kW]: 2,5
- Power consumption of the zone 6 [kW]: 2,5
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IP24
- Material: AISI 304 top plate and cladding


SAP Code	00014792	**Power consumption of the zone 1 [kW]**	2,5
Net Width [mm]	1200	**Power consumption of the zone 2 [kW]**	2,5
Net Depth [mm]	730	**Power consumption of the zone 3 [kW]**	2,5
Net Height [mm]	900	**Power consumption of the zone 4 [kW]**	2,5
Net Weight [kg]	182.00	**Power consumption of the zone 5 [kW]**	2,5
Power electric [kW]	21.300	**Power consumption of the zone 6 [kW]**	2,5
Loading	400 V / 3N - 50 Hz	**Type of internal part of the appliance 1 (eg oven)**	Electric
Number of zones	6	**Type of internal part of the appliance 2 (eg oven)**	Static

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Electric range with static oven 400 V / 3N		
Model	**SAP Code**	00014792
SPLT 7120/21 E	**A group of articles - web**	Stoves



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Electric range with static oven 400 V / 3N		
Model	**SAP Code**	00014792
SPLT 7120/21 E	**A group of articles - web**	Stoves

1

Square

heat
Effective cooking on a large neighborhood

- saving time when preparing meals
- Easy to operate thanks to a large area

2

Internal thermostatic protection of the hob

a longer life of the hob

3

Degree of protection of controls IPX4

maintenance -free
water resistance
long life

- Savings on service interventions
- easy cleaning of the device

4

Nationheres

long life
Cut -made steel of 10 mm thick boards

- Savings on service interventions
- higher corrosion resistance

5

Hygienic embossments of the top plate

absence of sharp corners and edges (potential places where dirt could adhere)
smooth transitions

- Simple fast cleaning

6

Large El.Troubta with four positions for grates with static baking

static baking
high capacity and variability
nationheres

- Suitable for yeast dishes and desserts
- long life
- simple cleaning

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Electric range with static oven 400 V / 3N		
Model	**SAP Code**	00014792
SPLT 7120/21 E	**A group of articles - web**	Stoves

1. **SAP Code:**
   00014792
2. **Net Width [mm]:**
   1200
3. **Net Depth [mm]:**
   730
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   182.00
6. **Gross Width [mm]:**
   1260
7. **Gross depth [mm]:**
   820
8. **Gross Height [mm]:**
   1080
9. **Gross Weight [kg]:**
   198.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    21.300
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IP24
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate and cladding
17. **Indicators:**
    operation
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.50
21. **Number of zones:**
    6
22. **Power consumption of the zone 1 [kW]:**
    2,5
23. **Power consumption of the zone 2 [kW]:**
    2,5
24. **Power consumption of the zone 3 [kW]:**
    2,5
25. **Power consumption of the zone 4 [kW]:**
    2,5
26. **Power consumption of the zone 5 [kW]:**
    2,5
27. **Power consumption of the zone 6 [kW]:**
    2,5
28. **Maximum device temperature [°C]:**
    400

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Electric range with static oven 400 V / 3N		
Model	**SAP Code**	00014792
SPLT 7120/21 E	**A group of articles - web**	Stoves

29. Minimum device temperature [°C]:
50

30. Number of power control stages:
6

31. Service accessibility:
Trough the frontal panel

32. Adjustable feet:
Yes

33. Number of burners/hot plates:
6

34. Type of electric cooking zones:
Squared

35. Oven Type:
electrical static

36. Oven power electric [kW]:
6.30

37. Oven size:
GN 2/1

38. Type of internal part of the appliance 1 (eg oven):
Electric

39. Type of internal part of the appliance 2 (eg oven):
Static

40. Gasket:
Yes

41. Maximum temperature of the inner chamber [°C]:
300

42. Minimum temperature of the inner chamber [°C]:
50

43. Cross-section of conductors CU [mm²]:
10

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062