

# Technical data sheet

## Product features



### Display unit chilled GN 3-1/1 - 150 mm drop-in

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012045                 |
| SL BLUE+ 3   | <b>A group of articles - web</b> | Sideboards and showcases |



- Buffet type: BLUE - cooled, dynamic cooling
- Device properties: Chilled
- Number of GN / EN: 3
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

|                            |          |                                        |                    |
|----------------------------|----------|----------------------------------------|--------------------|
| <b>SAP Code</b>            | 00012045 | <b>Loading</b>                         | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 1139     | <b>Number of GN / EN</b>               | 3                  |
| <b>Net Depth [mm]</b>      | 760      | <b>GN / EN size in device</b>          | GN 1/1             |
| <b>Net Height [mm]</b>     | 410      | <b>GN device depth</b>                 | 200                |
| <b>Net Weight [kg]</b>     | 78.60    | <b>Minimum device temperature [°C]</b> | 4                  |
| <b>Power electric [kW]</b> | 0.247    | <b>Maximum device temperature [°C]</b> | 8                  |

# Technical data sheet




Technical drawing





## Display unit chilled GN 3-1/1 - 150 mm drop-in

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012045                 |
| SL BLUE+ 3   | <b>A group of articles - web</b> | Sideboards and showcases |


A= ELECTRICAL CONNECTION  
D= WATER DISCHARGE Ø16  
E= GAS CONNECTION Ø8 Ø10  
F= WATER BOX




| GN  | L1   | HOLE     |
|-----|------|----------|
| 2/1 | 844  | 810x726  |
| 3/1 | 1169 | 1135x726 |



PLATINUM



SERVICE



FLAT

# Technical data sheet

## Product benefits



### Display unit chilled GN 3-1/1 - 150 mm drop-in

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012045                 |
| SL BLUE+ 3   | <b>A group of articles - web</b> | Sideboards and showcases |

1

#### **Built-in**

the possibility to plant in a dispensing block design

- unified design of the dispensing line
- a luxurious look that customers appreciate

2

#### **Dynamic cooling**

constant temperature in all places of the refrigerated space

- greater hygienic safety of chilled food

3

#### **GN insertion up to 200mm**

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

4

#### **Rounded corners**

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

5

#### **Removable evaporator filter**

basins without sharp edges and corners

- time saving for cleaning

6

#### **All-stainless steel construction**

harmless to health for contact with food  
robustness

- long service life
- very easy to clean

7

#### **One large bathtub**

one controller for the whole basin

- very easy to use
- easy maintenance

# Technical data sheet

## Technical parameters



### Display unit chilled GN 3-1/1 - 150 mm drop-in

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012045                 |
| SL BLUE+ 3   | <b>A group of articles - web</b> | Sideboards and showcases |

**1. SAP Code:**

00012045

**2. Net Width [mm]:**

1139

**3. Net Depth [mm]:**

760

**4. Net Height [mm]:**

410

**5. Net Weight [kg]:**

78.60

**6. Gross Width [mm]:**

1233

**7. Gross depth [mm]:**

1012

**8. Gross Height [mm]:**

1000

**9. Gross Weight [kg]:**

96.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Buffet type:**

BLUE - cooled, dynamic cooling

**13. Device properties:**

Chilled

**14. Exterior color of the device:**

Stainless steel

**15. Power electric [kW]:**

0.247

**16. Loading:**

230 V / 1N - 50 Hz

**17. Number of GN / EN:**

3

**18. GN / EN size in device:**

GN 1/1

**19. GN device depth:**

200

**20. Minimum device temperature [°C]:**

4

**21. Maximum device temperature [°C]:**

8

**22. Cross-section of conductors CU [mm²]:**

0,5

**23. Refrigerant:**

R290