

# Technical data sheet

## Product features



### Slicer gear, blade 220 mm serrated

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006721         |
| GMS 220 Z    | <b>A group of articles - web</b> | Cutting machines |



- Blade type: Serrated
- Blade diameter [mm]: 220
- Cutting thickness [mm]: 0 - 14
- Useful Cut [mm]: 195 x155
- Transfer type: Snail
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: motor with fan and overheating protection  
stainless steel blade guard  
transparent finger protection
- Suitable consumer: suitable for small restaurants  
and snack bars
- Table position: Oblique
- On/Off button: Yes
- Continuous work limit: running time without limitation

|                            |          |                               |                    |
|----------------------------|----------|-------------------------------|--------------------|
| <b>SAP Code</b>            | 00006721 | <b>Loading</b>                | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 445      | <b>Blade type</b>             | Serrated           |
| <b>Net Depth [mm]</b>      | 380      | <b>Blade diameter [mm]</b>    | 220                |
| <b>Net Height [mm]</b>     | 370      | <b>Cutting thickness [mm]</b> | 0 - 14             |
| <b>Net Weight [kg]</b>     | 12.50    | <b>Useful Cut [mm]</b>        | 195 x155           |
| <b>Power electric [kW]</b> | 0.140    |                               |                    |

# Technical data sheet


Technical drawing



Slicer gear, blade 220 mm serrated

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006721         |
| GMS 220 Z    | <b>A group of articles - web</b> | Cutting machines |

| Model      | A   | B   | C   | D   | E   |
|------------|-----|-----|-----|-----|-----|
| GMS 220    | 275 | 375 | 380 | 445 | 370 |
| GMS 250    | 275 | 430 | 425 | 525 | 380 |
| GMS 275 XL | 350 | 490 | 480 | 510 | 400 |
| GMS 300    | 350 | 490 | 480 | 580 | 515 |



# Technical data sheet

## Product benefits



### Slicer gear, blade 220 mm serrated

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006721         |
| GMS 220 Z    | <b>A group of articles - web</b> | Cutting machines |

1

#### Aluminum alloy body

- robustness
- purity
  - long service life
  - very easy to clean

2

#### Worm gear

- long service life
  - thanks to the worm gear and the more powerful motor, it can be used de facto continuously

3

#### Anti-stick treatment of the knife including anti-stick grooves

- less adhesion of the sliced food to the knife
  - thanks to the blade design, even softer foods can be cut, saving costs and time

4

#### Fan-cooled motor with overheating protection

- greater capacity of processed food
- long life
  - can work longer thanks to cooling
  - less risk of overheating and engine damage due to cooling

5

#### Finger protection

- high operational safety
  - the finger guard minimises the risk of accidents at work

6

#### Serrated knife

- better cutting quality of soft foods
  - smoother and faster slicing of soft foods saves time and costs

7

#### Grinding equipment included in the price

- guaranteed sharpness of the knife
- quick maintenance
  - no additional costs for external grinding
  - easy maintenance
  - immediate solution
  - time saving

# Technical data sheet

## Technical parameters



### Slicer gear, blade 220 mm serrated

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006721         |
| GMS 220 Z    | <b>A group of articles - web</b> | Cutting machines |

**1. SAP Code:**

00006721

**2. Net Width [mm]:**

445

**3. Net Depth [mm]:**

380

**4. Net Height [mm]:**

370

**5. Net Weight [kg]:**

12.50

**6. Gross Width [mm]:**

480

**7. Gross depth [mm]:**

580

**8. Gross Height [mm]:**

460

**9. Gross Weight [kg]:**

14.00

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Power electric [kW]:**

0.140

**13. Loading:**

230 V / 1N - 50 Hz

**14. Control type:**

Mechanical

**15. Safety cover:**

transparent plexiglass

**16. Safety element:**

motor with fan and overheating protection  
stainless steel blade guard  
transparent finger protection

**17. Suitable consumer:**

suitable for small restaurants and snack bars

**18. Engine protection:**

fan and overheating protection

**19. Adjustable feet:**

Yes

**20. Main switch:**

Yes

**21. Transfer type:**

Snail

**22. Blade type:**

Serrated

**23. Blade diameter [mm]:**

220

**24. Useful Cut [mm]:**

195 x155

**25. On/Off button:**

Yes

**26. Continuous work limit:**

running time without limitation

# Technical data sheet

Technical parameters



## Slicer gear, blade 220 mm serrated

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006721         |
| GMS 220 Z    | <b>A group of articles - web</b> | Cutting machines |

### 27. Removable moving table:

Yes

### 28. Anti-adhesive blade treatment:

Yes

### 29. Table position:

Oblique

### 30. Blade cover material:

Stainless steel

### 31. Sharpening device:

Additional included in the price

### 32. Blade hardness:

58-59 HRC

### 33. Cutting thickness [mm]:

0 - 14

### 34. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5