

# Technical data sheet

## Product features



### Cooking range drop-in electric 2x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007440 |
| PCD-64ET     | <b>A group of articles - web</b> | Stoves   |



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,6
- Power consumption of the zone 2 [kW]: 2,6
- Protection of controls: IPX5
- Material: Stainless steel

|                            |          |                                             |                    |
|----------------------------|----------|---------------------------------------------|--------------------|
| <b>SAP Code</b>            | 00007440 | <b>Loading</b>                              | 400 V / 3N - 50 Hz |
| <b>Net Width [mm]</b>      | 400      | <b>Number of zones</b>                      | 2                  |
| <b>Net Depth [mm]</b>      | 600      | <b>Power consumption of the zone 1 [kW]</b> | 2,6                |
| <b>Net Height [mm]</b>     | 50       | <b>Power consumption of the zone 2 [kW]</b> | 2,6                |
| <b>Net Weight [kg]</b>     | 15.00    | <b>Diameter of device [mm]</b>              | 220                |
| <b>Power electric [kW]</b> | 5.200    |                                             |                    |


# Technical data sheet

Technical drawing



## Cooking range drop-in electric 2x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007440 |
| PCD-64ET     | <b>A group of articles - web</b> | Stoves   |



|   |            |  |   |                       |  |
|---|------------|--|---|-----------------------|--|
| A | Data plate |  | B | Electrical connection |  |
|---|------------|--|---|-----------------------|--|

# Technical data sheet

## Product benefits



### Cooking range drop-in electric 2x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007440 |
| PCD-64ET     | <b>A group of articles - web</b> | Stoves   |

1

#### Round plates

- quick warm-up
- efficient cooking on a round surface with easy adhesion to dishes
  - time-saving in food preparation
  - easy to use thanks to the large surface area of the cooking plates

2

#### Internal thermostatic plate protection

- longer service life of the plates
  - no overheating of the plates and no cracking

3

#### Degree of protection of the control elements IPX5

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- the material does not cut
- wear resistance of the material
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

5

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
  - easy quick cleaning

6

#### Variability

- the possibility of attaching to a fixed plate as part of a monoblock
- the possibility of creating one module
- long life
  - cost saving
  - space saving
  - long service life

# Technical data sheet

## Technical parameters



### Cooking range drop-in electric 2x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007440 |
| PCD-64ET     | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00007440

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

600

**4. Net Height [mm]:**

50

**5. Net Weight [kg]:**

15.00

**6. Gross Width [mm]:**

430

**7. Gross depth [mm]:**

630

**8. Gross Height [mm]:**

470

**9. Gross Weight [kg]:**

19.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Drop-in

**12. Power electric [kW]:**

5.200

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX5

**15. Material:**

Stainless steel

**16. Worktop type:**

Molded - comfortable cleaning maintenance

**17. Worktop material:**

AISI 304

**18. Worktop Thickness [mm]:**

2.00

**19. Number of zones:**

2

**20. Power consumption of the zone 1 [kW]:**

2,6

**21. Power consumption of the zone 2 [kW]:**

2,6

**22. Maximum device temperature [°C]:**

300

**23. Minimum device temperature [°C]:**

50

**24. Number of power control stages:**

6

**25. Service accessibility:**

From the front by removing the front panel and waste fluid containers

**26. Safety element:**

internal thermostatic protection of the hotplate against overheating

# Technical data sheet

Technical parameters



## Cooking range drop-in electric 2x drop-in plate 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00007440 |
| PCD-64ET     | <b>A group of articles - web</b> | Stoves   |

### 27. Safety thermostat:

Yes

### 30. Type of electric cooking zones:

Oval

### 28. Number of burners/hot plates:

2

### 31. Cross-section of conductors CU [mm<sup>2</sup>]:

1

### 29. Diameter of device [mm]:

220