

Product features

Convection oven STEAMBOX electric 6x GN 1/1 boiler Automatic cleaning, walk-through, preparation for roast chickens Left-hinged door

Model	SAP Code	00014957
-------	----------	----------

- Steam type: Injection
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 9"
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Supersteam two steam saturation modes
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning

SAP Code	00014957	Steam type	Injection
Net Width [mm]	860	Number of GN / EN	6
Net Depth [mm]	795	GN / EN size in device	GN 1/1
Net Height [mm]	835	GN device depth	65
Net Weight [kg]	142.00	Control type	Touchscreen + buttons
Power electric [kW]	10.400	Display size	9"
Loading	400 V / 3N - 50 Hz		

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2025-10-17



Technical drawing

Convection oven STEAMBOX electric 6x GN 1/1	boiler Automatic cleaning	, walk-through,	, preparation for i	oast chickens
Left-hinged door				

 Model
 SAP Code
 00014957

SAP Code



Technical parameters

Model

Convection oven STEAMBOX electric 6x GN 1/1 boiler Automatic cleaning, walk-through, preparation for roast chickens Left-hinged door

00014957

1. SAP Code: 00014957	14. Exterior color of the device: Stainless steel
2. Net Width [mm]: 860	15. Humidity control: MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)
3. Net Depth [mm]: 795	16. Stacking availability: Yes
4. Net Height [mm]: 835	17. Control type: Touchscreen + buttons
5. Net Weight [kg]: 142.00	18. Additional information: Version with left door (hinges on the left, handle on the right)
6. Gross Width [mm]: 955	19. Steam type: Injection
7. Gross depth [mm]: 920	20. Chimney for moisture extraction: Yes
8. Gross Height [mm]: 1020	21. Delayed start: Yes
9. Gross Weight [kg]: 163.00	22. Display size:
10. Device type: Electric unit	23. Delta T heat preparation: Yes
11. Power electric [kW]: 10.400	24. Unified finishing of meals EasyService: Yes
12. Loading: 400 V / 3N - 50 Hz	25. Night cooking: Yes
13. Material:	26. Washing system:

Closed - efficient use of water and washing chemicals by

repeated pumping

AISI 304





Convection oven STEAMBOX electric 6x GN 1/1 boiler Automatic cleaning, walk-through, preparation for roast chickens Left-hinged door

Model	SAP Code	00014957
27. Detergent type: Liquid washing detergent + liquid washing tablets	rinse aid/vinegar or	40. Smoke-dry function: Yes
28. Multi level cooking: Drawer program - control of heat dish separately	treatment for each	41. Interior lighting: Yes
29. Advanced moisture adjustmen Supersteam - two steam saturation		42. Low temperature heat treatment: Yes
30. Slow cooking: from 50 °C		43. Number of fans:
31. Fan stop: Immediate when the door is oper	ed	44. Number of fan speeds:
32. Lighting type: LED lighting in the doors, on both	sides	45. Number of programs: 1000
33. Cavity material and shape: AISI 304, with rounded corners for	easy cleaning	46. USB port: Yes, for uploading recipes and updating firmware
34. Reversible fan: Yes		47. Door constitution: Vented safety double glass, removable for easy cleaning
35. Sustaince box: Yes		48. Number of preset programs:
36. Heating element material: Incoloy		49. Number of recipe steps:
37. Probe: Yes		50. Minimum device temperature [°C]: 50
38. Shower: Hand winder		51. Maximum device temperature [°C]: 300

70

39. Distance between the layers [mm]:

52. Device heating type:

Combination of steam and hot air



Technical parameters

Convection oven STEAMBOX elect Left-hinged door	ric 6x GN 1/1 boiler Autom	atic cleaning, walk-through, preparation for roast chickens
Model	SAP Code	00014957

53. HACCP: Yes	57. Food regeneration: Yes
54. Number of GN / EN:	58. Cross-section of conductors CU [mm²]: 2,5
55. GN / EN size in device: GN 1/1	59. Diameter nominal: DN 50
56. GN device depth:	60. Water supply connection:

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com