Technical data sheet

Product features

Cooking range induction drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007448
PCID-64ET	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 5
- Power consumption of the zone 2 [kW]: 5
- Protection of controls: IPX5
- Material: AISI 304 top plate and cladding

SAP Code	00007448	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	400	**Number of zones**	2
Net Depth [mm]	600	**Power consumption of the zone 1 [kW]**	5
Net Height [mm]	422	**Power consumption of the zone 2 [kW]**	5
Net Weight [kg]	20.00	**Ceramic glass dimensions [mm]**	350 x 570
Power electric [kW]	10.000		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range induction drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007448
PCID-64ET	**A group of articles - web**	Stoves




Tabella			
Descrizione	A	C	D
PCID-64ET	400 mm	100 cm^2	150 cm^2
PCID-68ET	800 mm	165 cm^2	200 cm^2

A	Data plate		B	Electrical connection	

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range induction drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007448
PCID-64ET	**A group of articles - web**	Stoves

1

Induction surface

fastest heating of the cooking zone
precise heating only at the place where the container is placed

- time-saving for food preparation
- no reheating and long cooking times

2

Degree of protection of the control elements IPX5

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

All-stainless design

the material does not cut
wear resistance of the material
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

5

Variability

the possibility of attaching to a fixed plate as part of a monoblock
the possibility of creating one module
long life

- cost saving
- space saving
- long service life

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range induction drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007448
PCID-64ET	**A group of articles - web**	Stoves

1. **SAP Code:**
   00007448
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   422
5. **Net Weight [kg]:**
   20.00
6. **Gross Width [mm]:**
   470
7. **Gross depth [mm]:**
   700
8. **Gross Height [mm]:**
   530
9. **Gross Weight [kg]:**
   25.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    10.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Material:**
    AISI 304 top plate and cladding
16. **Worktop type:**
    Molded - comfortable cleaning maintenance
17. **Worktop Thickness [mm]:**
    2.00
18. **Number of zones:**
    2
19. **Power consumption of the zone 1 [kW]:**
    5
20. **Power consumption of the zone 2 [kW]:**
    5
21. **Power control type:**
    knob control
22. **Number of power control stages:**
    6
23. **Service accessibility:**
    From the front by removing the front panel and waste fluid containers
24. **Number of burners/hot plates:**
    2
25. **Type of electric cooking zones:**
    Induction
26. **Ceramic glass dimensions [mm]:**
    350 x 570
27. **Cross-section of conductors CU [mm²]:**
    2,5
28. **Glass-ceramic top thickness [mm]:**
    6

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range induction drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007448
PCID-64ET	**A group of articles - web**	Stoves

29. Load capacity [kg]:

60

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062