Technical data sheet

Product features

Ice maker cube ice 19 g air cooling with drain pump 22 kg/24h 230 V / 1N		
Model	**SAP Code**	00020491
IMK 2208 A	**A group of articles - web**	Ice makers



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Cube
- Weight of ice [g]: 19.00
- Production per day [kg]: 22
- Water consumption [l/h]: 2.90
- Container for ice: Yes
- Ice storage capacity [kg]: 6
- Material: AISI 304


SAP Code	00020491	**Cooling type**	Air
Net Width [mm]	350	**Water consumption [l/h]**	2.90
Net Depth [mm]	475	**Production per day [kg]**	22
Net Height [mm]	593	**Type of ice**	Cube
Net Weight [kg]	32.00	**Weight of ice [g]**	19.00
Power electric [kW]	0.310	**Ice storage capacity [kg]**	6
Loading	230 V / 1N - 50 Hz	**Drain pump**	No


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Ice maker cube ice 19 g air cooling with drain pump 22 kg/24h 230 V / 1N		
Model	**SAP Code**	00020491
IMK 2208 A	**A group of articles - web**	Ice makers





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Ice maker cube ice 19 g air cooling with drain pump 22 kg/24h 230 V / 1N		
Model	**SAP Code**	00020491
IMK 2208 A	**A group of articles - web**	Ice makers

1 **Firm and crystal clear ice hats**

icy hats without dirt

- health safety and aesthetic impression

2 **A3S: System with flexible nozzles with minor vibrations**

prevents limescale from settling.

- longer life of the device without the need to remove scale

3 **Motor pump “NEVER STOP” (construction without seal)**

prevents depreciation in hard water

- longer life of the device without the need to remove scale = economic and time savings

4 **A backlit rocker switch**

simple operation even in reduced visibility or in the dark

- possibility to turn on and off the device even in the dark or with reduced visibility

5 **Doors and body made of stainless steel AISI 304**

corrosion resistance

- health safety and longer life

6 **The smallest ice maker in its line**

adaptation to small spaces

- space saving, option variable location of the device

7 **Firm and crystal clear ice cubes**

icy cubes without dirt

- health safety and aesthetic impression

8 **Refrigerant - gas R290**

refrigerant with very low benefits to global warming and low energy consumption.

- ecological use and economic savings

9 **Tropical version of the machine (class t)**

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Ice maker cube ice 19 g air cooling with drain pump 22 kg/24h 230 V / 1N		
Model	**SAP Code**	00020491
IMK 2208 A	**A group of articles - web**	Ice makers

1. **SAP Code:**
   00020491
2. **Net Width [mm]:**
   350
3. **Net Depth [mm]:**
   475
4. **Net Height [mm]:**
   593
5. **Net Weight [kg]:**
   32.00
6. **Gross Width [mm]:**
   440
7. **Gross depth [mm]:**
   550
8. **Gross Height [mm]:**
   715
9. **Gross Weight [kg]:**
   36.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.310
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Refrigerant:**
    R290
14. **Cooling type:**
    Air
15. **Material:**
    AISI 304
16. **Exterior color of the device:**
    Stainless steel
17. **Min ambient temperature [°C]:**
    10
18. **Max ambient temperature [°C]:**
    43
19. **Production per day [kg]:**
    22
20. **Water consumption [l/h]:**
    2.90
21. **Door of device:**
    Full
22. **Type of ice:**
    Cube
23. **Weight of ice [g]:**
    19.00
24. **Container for ice:**
    Yes
25. **Ice storage capacity [kg]:**
    6
26. **Drain pump:**
    No
27. **Cross-section of conductors CU [mm²]:**
    0,5
28. **Water supply connection:**
    3/4"

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Ice maker cube ice 19 g air cooling with drain pump 22 kg/24h 230 V / 1N		
Model	**SAP Code**	00020491
IMK 2208 A	**A group of articles - web**	Ice makers

29. Diameter nominal:

DN 50

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062