



Electric stove with static electric oven 2x GN 2/1 - 8x hot plate 400 V			
Model	SAP Code	00005934	
CFQ8-916ET	A group of articles - web	Stoves	



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 4
- Power consumption of the zone 2 [kW]: 4
- Power consumption of the zone 3 [kW]: 4
- Power consumption of the zone 4 [kW]: 4
- Power consumption of the zone 5 [kW]: 4
- Power consumption of the zone 6 [kW]: 4
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00005934	Power consumption of the zone 4 [kW]	4
Net Width [mm]	1600	Power consumption of the zone 5 [kW]	4
Net Depth [mm]	900	Power consumption of the zone 6 [kW]	4
Net Height [mm]	900	Power consumption of the zone 7 [kW]	4
Net Weight [kg]	240.00	Power consumption of the zone 8 [kW]	4
Power electric [kW]	45.400	Type of internal part of the appliance 1 (eg oven)	Electric
Loading	400 V / 3N - 50 Hz	Type of internal part of the appliance 2 (eg oven)	Static
Number of zones	8	Width of internal part [mm]	680
Power consumption of the zone 1 [kW]	4	Depth of internal part [mm]	730
Power consumption of the zone 2 [kW]	4	Height of internal part [mm]	340
Power consumption of the zone 3 [kW]	4		





Electric stove with static electric oven 2x GN 2/1 - 8x hot plate 400 V			
Model	SAP Code	00005934	
CFQ8-916ET	A group of articles - web	Stoves	

Square plates
quick warm-up

efficient cooking on a round surface with easy adhesion to dishes

Internal thermostatic plate protection longer service life of the plates

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

All-stainless design
the material does not cut
wear resistance of the material
long life

Hygienic moldings of the top plate
absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

Large electric oven with four positions for racks with static cooking

possibility of baking high capacity and variability all-stainless design



#### Technical parameters

Electric stove with static electric	oven 2x GN 2/1 - 8x h	ot plate 400 V
Model	SAP Code	00005934
CFQ8-916ET	A group of articles - web	Stoves
<b>1. SAP Code:</b> 00005934		<b>15. Exterior color of the device:</b> Stainless steel
2. Net Width [mm]: 1600		<b>16. Material:</b> AISI 304
3. Net Depth [mm]: 900		17. Indicators: operation and warm-up
4. Net Height [mm]: 900		18. Worktop type:  Molded - comfortable cleaning maintenance
5. Net Weight [kg]: 240.00		19. Worktop material:  AISI 304
6. Gross Width [mm]: 1670		20. Worktop Thickness [mm]: 2.00
7. Gross depth [mm]: 1050		21. Device heating type:  Static baking
8. Gross Height [mm]: 1120		22. Number of zones:
9. Gross Weight [kg]: 266.00		23. Power consumption of the zone 1 [kW]:
10. Device type: Electric unit		24. Power consumption of the zone 2 [kW]:  4
11. Construction type of device: With substructure		25. Power consumption of the zone 3 [kW]:
12. Power electric [kW]: 45.400		26. Power consumption of the zone 4 [kW]:
<b>13. Loading:</b> 400 V / 3N - 50 Hz		27. Power consumption of the zone 5 [kW]:
14. Protection of controls:		28. Power consumption of the zone 6 [kW]:

4

IPX5



#### Technical parameters

Electric stove with static elect	ric oven 2x GN 2/1 - 8x ho	ot plate 400 V
Model	SAP Code	00005934
CFQ8-916ET	A group of articles - web	Stoves
29. Power consumption of the z	one 7 [kW]:	<b>41. Oven size:</b> GN 2/1
30. Power consumption of the zone 8 [kW]:		<b>42. Oven material:</b> Stainless steel
<b>31.</b> Maximum device temperature [°C]: 300		<b>43.</b> Type of internal part of the appliance 1 (eg oven): Electric
<b>32.</b> Minimum device temperature [°C]: 50		<b>44. Type of internal part of the appliance 2 (eg oven):</b> Static
<b>33. Number of power control stages:</b> 6		<b>45. Width of internal part [mm]:</b> 680
<b>34. Service accessibility:</b> From the front by removing the front panel and waste fluid containers		<b>46. Depth of internal part [mm]:</b> 730
35. Safety thermostat: Yes		<b>47. Height of internal part [mm]:</b> 340
36. Safety thermostat up to x ° C: 360		<b>48. Gasket:</b> Yes
<b>37. Adjustable feet:</b> Yes		<b>49.</b> Maximum temperature of the inner chamber [°C]: 300
<b>38. Number of burners/hot plates:</b>		<b>50.</b> Minimum temperature of the inner chamber [°C]:
39. Type of electric cooking zones: Squared		51. Cross-section of conductors CU [mm²]:

**40. Oven Type:** electrical static