Technical data sheet

Product features

Freezing cabinet 1300 l, GN 2/1, stainless steel 230 V / 1N		
Model	**SAP Code**	00002520
MS 140	**A group of articles - web**	Refrigeration and freezer cabinets



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 1300
- Minimum device temperature [°C]: -24
- Maximum device temperature [°C]: -18
- Insulation thickness [mm]: 70
- Control type: Digital
- Interior lighting: Yes
- Door lock: Yes
- Opening of device: Two-sided

SAP Code	00002520	**Gross Volume [m3]**	2.678
Net Width [mm]	1420	**Net Volume [m3]**	2.272
Net Depth [mm]	800	**Number of GN / EN**	8
Net Height [mm]	2000	**GN / EN size in device**	GN 2/1
Net Weight [kg]	245.00	**Minimum device temperature [°C]**	-24
Power electric [kW]	0.700	**Maximum device temperature [°C]**	-18
Loading	230 V / 1N - 50 Hz	**Refrigerant**	R290
Energy class	D	**Climate class**	5
Chamber volume [l]	1300		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Freezing cabinet 1300 l, GN 2/1, stainless steel 230 V / 1N		
Model	**SAP Code**	00002520
MS 140	**A group of articles - web**	Refrigeration and freezer cabinets





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Freezing cabinet 1300 l, GN 2/1, stainless steel 230 V / 1N		
Model	**SAP Code**	00002520
MS 140	**A group of articles - web**	Refrigeration and freezer cabinets

1 **Insulation 70mm**
minimal losses
- energy saving

2 **Two-sided opening**
location variability
- greater operational efficiency
- better kitchen ergonomics

3 **All-stainless design**
corrosion resistance
- longer service life
- health safety

4 **Automatic defrosting**
nothing needs to be watched
- always working properly without extra operator requirements

5 **Wheels, legs**
variability
- user comfort

6 **Climate class tropico**
works up to 43 °C
- guaranteed operation even in a warm kitchen environment

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Freezing cabinet 1300 l, GN 2/1, stainless steel 230 V / 1N		
Model	**SAP Code**	00002520
MS 140	**A group of articles - web**	Refrigeration and freezer cabinets

1. **SAP Code:**
   00002520
2. **Net Width [mm]:**
   1420
3. **Net Depth [mm]:**
   800
4. **Net Height [mm]:**
   2000
5. **Net Weight [kg]:**
   245.00
6. **Gross Width [mm]:**
   1500
7. **Gross depth [mm]:**
   850
8. **Gross Height [mm]:**
   2100
9. **Gross Weight [kg]:**
   265.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.700
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Energy class:**
    D
14. **Refrigerant:**
    R290
15. **Cooling type:**
    Dinamic
16. **Material:**
    Stainless steel
17. **Max ambient temperature [°C]:**
    43
18. **Device properties 2:**
    Freezing
19. **GN / EN size in device:**
    GN 2/1
20. **Number of GN / EN:**
    8
21. **Chamber volume [l]:**
    1300
22. **Gross Volume [m3]:**
    2.678
23. **Net Volume [m3]:**
    2.272
24. **Adjustable feet:**
    Yes
25. **Insulation thickness [mm]:**
    70
26. **Opening of device:**
    Two-sided
27. **Gasket:**
    Yes
28. **Number of doors:**
    2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Freezing cabinet 1300 l, GN 2/1, stainless steel 230 V / 1N		
Model	**SAP Code**	00002520
MS 140	**A group of articles - web**	Refrigeration and freezer cabinets

29. Unit:
Yes

30. Control type:
Digital

31. Door lock:
Yes

32. Interior lighting:
Yes

33. Minimum device temperature [°C]:
-24

34. Maximum device temperature [°C]:
-18

35. Number of grids:
8

36. Climate class:
5

37. Cross-section of conductors CU [mm²]:
0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062