Technical data sheet

Product features

Display unit chilled GN 6-1/1 - 200 mm drop-in 230 V / 1N		
Model	**SAP Code**	00012061
SL GREEN+ 6	**A group of articles - web**	Sideboards and showcases



- Buffet type: GREEN - cooled, static cooling, deep
- Device properties: Chilled
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8


SAP Code	00012061	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	2144	**Number of GN / EN**	6
Net Depth [mm]	650	**GN / EN size in device**	GN 1/1
Net Height [mm]	290	**GN device depth**	200
Net Weight [kg]	76.00	**Minimum device temperature [°C]**	4
Power electric [kW]	0.247	**Maximum device temperature [°C]**	8

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Display unit chilled GN 6-1/1 - 200 mm drop-in 230 V / 1N		
Model	**SAP Code**	00012061
SL GREEN+ 6	**A group of articles - web**	Sideboards and showcases



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Display unit chilled GN 6-1/1 - 200 mm drop-in 230 V / 1N		
Model	**SAP Code**	00012061
SL GREEN+ 6	**A group of articles - web**	Sideboards and showcases

1 **Built-in**

the possibility to plant in a dispensing block design

- unified design of the dispensing line
- a luxurious look that customers appreciate

2 **Static cooling**

simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation

- less drying of food
- more economical

3 **GN insertion up to 200mm**

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

4 **Rounded corners**

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

5 **Removable evaporator filter**

basins without sharp edges and corners

- time saving for cleaning

6 **All-stainless steel construction**

harmless to health for contact with food
robustness

- long service life
- very easy to clean

7 **One large bathtub**

one controller for the whole basin

- very easy to use
- easy maintenance

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Display unit chilled GN 6-1/1 - 200 mm drop-in 230 V / 1N		
Model	**SAP Code**	00012061
SL GREEN+ 6	**A group of articles - web**	Sideboards and showcases

1. **SAP Code:**
   00012061
2. **Net Width [mm]:**
   2144
3. **Net Depth [mm]:**
   650
4. **Net Height [mm]:**
   290
5. **Net Weight [kg]:**
   76.00
6. **Gross Width [mm]:**
   2208
7. **Gross depth [mm]:**
   714
8. **Gross Height [mm]:**
   1100
9. **Gross Weight [kg]:**
   91.50
10. **Device type:**
    Electric unit
11. **Material:**
    AISI 304
12. **Buffet type:**
    GREEN - cooled, static cooling, deep
13. **Device properties:**
    Chilled
14. **Exterior color of the device:**
    Stainless steel
15. **Power electric [kW]:**
    0.247
16. **Loading:**
    230 V / 1N - 50 Hz
17. **Number of GN / EN:**
    6
18. **GN / EN size in device:**
    GN 1/1
19. **GN device depth:**
    200
20. **Minimum device temperature [°C]:**
    4
21. **Maximum device temperature [°C]:**
    8
22. **Cross-section of conductors CU [mm²]:**
    0,5
23. **Refrigerant:**
    R290

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062