



Cooking range gas 8x burner on open cabinet		
Model	SAP Code	00002955
PC-916G	A group of articles - web	Stoves




- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 10
- Power consumption of the zone 2 [kW]: 10
- Power consumption of the zone 3 [kW]: 7
- Power consumption of the zone 4 [kW]: 7
- Power consumption of the zone 5 [kW]: 7
- Power consumption of the zone 6 [kW]: 7
- Ignition: Eternal flame
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00002955	Power consumption of the zone 1 [kW]	10
Net Width [mm]	1600	Power consumption of the zone 2 [kW]	10
Net Depth [mm]	900	Power consumption of the zone 3 [kW]	7
Net Height [mm]	900	Power consumption of the zone 4 [kW]	7
Net Weight [kg]	156.00	Power consumption of the zone 5 [kW]	7
Power gas [kW]	56.000	Power consumption of the zone 6 [kW]	7
Type of gas	Natural gas, propane butane	Power consumption of the zone 7 [kW]	4
Number of zones	8	Power consumption of the zone 8 [kW]	4



Technical drawing

Cooking range gas 8x burner on open cabinet		
Model	SAP Code	00002955
PC-916G	A group of articles - web	Stoves



Α	Data plate		C	Gas connection	ISO 7-1 3/4" M	
---	------------	--	---	----------------	----------------	--





Cooking range gas 8x burner on open cabinet		
Model	SAP Code	00002955
PC-916G	A group of articles - web	Stoves

1

Massive construction of burners

high performance and efficiency brass burners removable eternal flame long life demountable

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning
- 3

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

Safety element - thermocouple

safe operation for personnel there is no overheating and damage to the thallus long life

- savings on service interventions
- easier and faster operation



Technical parameters

Cooking range gas 8x burner on o	pen cabinet	
Model	SAP Code	00002955
PC-916G	A group of articles - web	Stoves
1. SAP Code: 00002955		15. Protection of controls: IPX5
2. Net Width [mm]: 1600		16. Exterior color of the device: Stainless steel
3. Net Depth [mm]: 900		17. Material: AISI 304
4. Net Height [mm]:		18. Worktop type: Molded - comfortable cleaning maintenance
5. Net Weight [kg]: 156.00		19. Worktop material: AISI 304
6. Gross Width [mm]: 1670		20. Worktop Thickness [mm]: 2.00
7. Gross depth [mm]: 1050		21. Number of zones:
8. Gross Height [mm]:		22. Power consumption of the zone 1 [kW]:
9. Gross Weight [kg]: 182.00		23. Power consumption of the zone 2 [kW]:
10. Device type: Gas unit		24. Power consumption of the zone 3 [kW]: 7
11. Construction type of device: With substructure		25. Power consumption of the zone 4 [kW]:
12. Power gas [kW]: 56.000		26. Power consumption of the zone 5 [kW]:
13. Ignition: Eternal flame		27. Power consumption of the zone 6 [kW]:
14. Type of gas:		28. Power consumption of the zone 7 [kW]:

Natural gas, propane butane

4



Technical parameters

Cooking range gas 8x burner on o	pen cabinet		
Model	SAP Code	00002955	
PC-916G	A group of articles - web	Stoves	
29. Power consumption of the zone 4 30. Number of power control stage		34. Adjustable feet: Yes 35. Number of burners/hot plates:	
6 31. Grid material: Cast iron		36. Type of gas cooking zones: Classic	
32. Service accessibility: From the front by removing the frof fluid containers	ont panel and waste	37. Burner type: Brass, detachable	
33. Safety thermocouple:		38. Connection to a ball valve:	

1/2

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

Yes