

# Technical data sheet

## Product features



### Cooling cabinet 900 l sterilizer, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012386
ENRP 900 S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets



- GN / EN size in device: EN 600x800
- Chamber volume [l]: 638
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 7
- Insulation thickness [mm]: 90
- Control type: Digital
- Interior lighting: No
- Door lock: Yes
- Automatic defrost: Yes
- HACCP: Yes
- Annual energy consumption [kWh]: 812

<b>SAP Code</b>	00012386	<b>Gross Volume [m3]</b>	1.994
<b>Net Width [mm]</b>	1019	<b>Net Volume [m3]</b>	1.710
<b>Net Depth [mm]</b>	803	<b>Number of internal parts</b>	20
<b>Net Height [mm]</b>	2090	<b>Number of GN / EN</b>	24
<b>Net Weight [kg]</b>	128.00	<b>GN / EN size in device</b>	EN 600x800
<b>Power electric [kW]</b>	0.175	<b>Minimum device temperature [°C]</b>	-2
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Maximum device temperature [°C]</b>	7
<b>Energy class</b>	C	<b>Refrigerant</b>	R290
<b>Chamber volume [l]</b>	638		

# Technical data sheet




Technical drawing



Cooling cabinet 900 l sterilizer, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012386
ENRP 900 S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

A= ELECTRICAL CONNECTION



# Technical data sheet

## Product benefits



### Cooling cabinet 900 l sterilizer, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012386
ENRP 900 S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

1

#### Insulation 90mm

- minimal losses
- energy saving

2

#### Two-sided opening

- location variability
- greater operational efficiency
- better kitchen ergonomics

3

#### All-stainless design

- corrosion resistance
- longer service life
- health safety

4

#### Automatic defrosting

- nothing needs to be watched
- always working properly without extra operator requirements

5

#### Wheels, legs

- variability
- user comfort

6

#### High energy class

- minimal energy loss
- high efficiency
- guaranteed chilled food
- cost saving
- hygienic safety

# Technical data sheet

Technical parameters



## Cooling cabinet 900 l sterilizer, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012386
ENRP 900 S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

**1. SAP Code:**

00012386

**2. Net Width [mm]:**

1019

**3. Net Depth [mm]:**

803

**4. Net Height [mm]:**

2090

**5. Net Weight [kg]:**

128.00

**6. Gross Width [mm]:**

863

**7. Gross depth [mm]:**

1065

**8. Gross Height [mm]:**

2170

**9. Gross Weight [kg]:**

145.35

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.175

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

C

**14. Refrigerant:**

R290

**15. Material:**

AISI 304

**16. Exterior color of the device:**

Stainless steel

**17. Max ambient temperature [°C]:**

40

**18. Device properties 2:**

Bakery

**19. GN / EN size in device:**

EN 600x800

**20. Number of internal parts:**

20

**21. Number of GN / EN:**

24

**22. Chamber volume [l]:**

638

**23. Gross Volume [m3]:**

1.994

**24. Net Volume [m3]:**

1.710

**25. Adjustable feet:**

Yes

**26. Insulation thickness [mm]:**

90

**27. Number of doors:**

1

**28. Unit:**

Yes

# Technical data sheet

Technical parameters



## Cooling cabinet 900 l sterilizer, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012386
ENRP 900 S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

**29. Control type:**

Digital

**34. Minimum device temperature [°C]:**

-2

**30. Door lock:**

Yes

**35. Maximum device temperature [°C]:**

7

**31. Interior lighting:**

No

**36. Automatic defrost:**

Yes

**32. HACCP:**

Yes

**37. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

**33. Annual energy consumption [kWh]:**

812