

Technical data sheet

Product features



Fry-top griddle plate smooth chromed

Model	SAP Code	00009680
FTHC 708 E	A group of articles - web	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 560 x 770
- Griddle thickness [mm]: 12.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: Yes
- Removable grid: No

SAP Code	00009680	Power electric [kW]	9.000
Net Width [mm]	800	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	730	Griddle dimensions [mm x mm]	560 x 770
Net Height [mm]	300	Top type	Smooth
Net Weight [kg]	72.20	Worktop type	Molded - comfortable cleaning maintenance


Technical data sheet

Technical drawing



Fry-top griddle plate smooth chromed

Model	SAP Code	00009680
FTHC 708 E	A group of articles - web	Grills and grill plates



Technical data sheet

Technical parameters



Fry-top griddle plate smooth chromed

Model	SAP Code	00009680
FTHC 708 E	A group of articles - web	Grills and grill plates

1. SAP Code:

00009680

2. Net Width [mm]:

800

3. Net Depth [mm]:

730

4. Net Height [mm]:

300

5. Net Weight [kg]:

72.20

6. Gross Width [mm]:

840

7. Gross depth [mm]:

800

8. Gross Height [mm]:

480

9. Gross Weight [kg]:

81.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

9.000

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IP24

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304 top plate and cladding

17. Indicators:

operation and warm-up

18. Worktop type:

Molded - comfortable cleaning maintenance

19. Worktop material:

AISI 304

20. Worktop Thickness [mm]:

1.50

21. Surface finish:

polished chrome 0.03 mm

22. Maximum device temperature [°C]:

300

23. Minimum device temperature [°C]:

50

24. Service accessibility:

Trough the frontal panel

25. Safety thermostat:

Yes

26. Safety thermostat up to x ° C:

360

27. Griddle dimensions [mm x mm]:

560 x 770

28. Griddle thickness [mm]:

12.00

Technical data sheet

Technical parameters



Fry-top griddle plate smooth chromed

Model	SAP Code	00009680
FTHC 708 E	A group of articles - web	Grills and grill plates

29. Container for liquid fat:

Yes

30. Removable device container:

No

31. Independent heating zones:

Separate control for each heating zone

32. Removable rim:

Yes

33. Removable grid:

No

34. Top type:

Smooth

35. Cross-section of conductors CU [mm²]:

2