# Technical data sheet

Product features

| Meat mincer 1 grinding group removable grinding unit 300 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004309 |
| TE 22 EM | **A group of articles - web** | Meat grinders |



- Composition for meat grinders: Single composition
- Maximal production per hour [kg/h]: 300
- Unmountable head: Yes
- Material: Aluminium
- Diameter of inner matrix [mm]: 6
- Diameter of outer matrix [mm]: 80
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for medium-sized restaurants
- Additional information: tomato press can be purchased
- Main switch: Yes

| | | | |
|---|---|---|---|
| **SAP Code** | 00004309 | **Power electric [kW]** | 1.100 |
| **Net Width [mm]** | 290 | **Loading** | 230 V / 1N - 50 Hz |
| **Net Depth [mm]** | 450 | **Maximal production per hour [kg/h]** | 300 |
| **Net Height [mm]** | 520 | **Unmountable head** | Yes |
| **Net Weight [kg]** | 25.00 | **Composition for meat grinders** | Single composition |





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical drawing

| Meat mincer 1 grinding group removable grinding unit 300 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004309 |
| TE 22 EM | **A group of articles - web** | Meat grinders |








RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Meat mincer 1 grinding group removable grinding unit 300 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004309 |
| TE 22 EM | **A group of articles - web** | Meat grinders |

**1** **Single composition**

simplicity

- one-piece assembly makes it very easy to assemble and disassemble

**2** **Production 300kg/h**

large capacity

- great price/performance ratio
- time and cost saving

**3** **Polished aluminum body**

robustness
purity

- long service life
- very easy to clean

**4** **Removable head**

easy maintenance
hygienic cleanliness

- thanks to the removable head, it is much easier to clean and thus saves time
- better cleaning quality ensures hygienic safety

**5** **Stainless steel hopper**

easy maintenance
hygienic cleanliness

- very long hopper life due to robustness
- very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Meat mincer 1 grinding group removable grinding unit 300 kg/h 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00004309 |
| TE 22 EM | **A group of articles - web** | Meat grinders |

1. **SAP Code:**
   00004309
2. **Net Width [mm]:**
   290
3. **Net Depth [mm]:**
   450
4. **Net Height [mm]:**
   520
5. **Net Weight [kg]:**
   25.00
6. **Gross Width [mm]:**
   300
7. **Gross depth [mm]:**
   540
8. **Gross Height [mm]:**
   480
9. **Gross Weight [kg]:**
   27.00
10. **Device type:**
    Electric unit
11. **Material:**
    Aluminium
12. **Exterior color of the device:**
    Stainless steel
13. **Power electric [kW]:**
    1.100
14. **Loading:**
    230 V / 1N - 50 Hz
15. **Control type:**
    Mechanical
16. **Suitable consumer:**
    suitable for medium-sized restaurants
17. **Main switch:**
    Yes
18. **Unmountable head:**
    Yes
19. **Maximal production per hour [kg/h]:**
    300
20. **Standard equipment for device:**
    plastic push pin
21. **Additional information:**
    tomato press can be purchased
22. **Composition for meat grinders:**
    Single composition
23. **Diameter of inner matrix [mm]:**
    6
24. **Diameter of outer matrix [mm]:**
    80
25. **Inverse of device:**
    Yes
26. **Cross-section of conductors CU [mm$^2$]:**
    0,5



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062