



Combi convection steam oven STEAMBOX electric 6x GN 1/1 automatic cleaning boiler 400 V left door		
Model	SAP Code	00014899
STBB 0611 EL	A group of articles - web	Convection machines




- Steam type: Symbiotic boiler and injection combination (patent)
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 9"
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Steamtuner 5-stage system of setting steam saturation by controlled combination of production by boiler or injection
- Delta T heat preparation: Yes
- Automatic preheating: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning


SAP Code	00014899	Steam type	Symbiotic - boiler and injection combina-tion (patent)
Net Width [mm]	860	Number of GN / EN	6
Net Depth [mm]	795	GN / EN size in device	GN 1/1
Net Height [mm]	835	GN device depth	65
Net Weight [kg]	132.00	Control type	Touchscreen + buttons
Power electric [kW]	11.400	Display size	9"
Loading	400 V / 3N - 50 Hz		



Technical drawing

Combi convection steam oven STEAMBOX electric 6x GN 1/1 automatic cleaning boiler 400 V left door		
Model	SAP Code	00014899
STBB 0611 EL	A group of articles - web	Convection machines







Technical parameters

Combi convection steam oven S	STEAMBOX electric 6x (GN 1/1 automatic cleaning boiler 400 V left door
Model	SAP Code	00014899
STBB 0611 EL	A group of articles - web	Convection machines
1. SAP Code: 00014899		14. Exterior color of the device: Stainless steel
2. Net Width [mm]: 860		15. Adjustable feet: Yes
3. Net Depth [mm]: 795		16. Humidity control: MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)
4. Net Height [mm]: 835		17. Stacking availability: Yes
5. Net Weight [kg]: 132.00		18. Control type: Touchscreen + buttons
6. Gross Width [mm]: 955		19. Additional information: Version with left door (hinges on the left, handle on the right)
7. Gross depth [mm]: 920		20. Steam type: Symbiotic - boiler and injection combination (patent)
8. Gross Height [mm]:		21. Chimney for moisture extraction: Yes
9. Gross Weight [kg]: 142.00		22. Delayed start: Yes
10. Device type: Electric unit		23. Display size: 9"
11. Power electric [kW]: 11.400		24. Delta T heat preparation: Yes
12. Loading: 400 V / 3N - 50 Hz		25. Automatic preheating: Yes
13. Material:		26. Automatic cooling:

Yes

AISI 304



Technical parameters

Combi convection steam oven ST	EAMBOX electric 6x GN 1	1/1 automatic cleaning boiler 400 V left door
Model	SAP Code	00014899
STBB 0611 EL	A group of articles - web	Convection machines
27. Cold smoke-dry function: Yes		40. Heating element material: Incoloy
28. Unified finishing of meals EasyService: Yes		41. Probe: Yes
29. Night cooking: Yes		42. Shower: Hand winder
30. Washing system: Closed - efficient use of water and washing chemicals by repeated pumping		43. Distance between the layers [mm]: 70
31. Detergent type: Liquid washing detergent + liquid rinse aid/vinegar or washing tablets		44. Smoke-dry function: Yes
32. Multi level cooking: Drawer program - control of heat to dish separately	reatment for each	45. Interior lighting: Yes
33. Advanced moisture adjustment: Steamtuner - 5-stage system of setting steam saturation by controlled combination of production by boiler or injection		46. Low temperature heat treatment: Yes
34. Slow cooking: from 30 °C - the possibility of rising		47. Number of fans:
35. Fan stop: Immediate when the door is opened		48. Number of fan speeds:
36. Lighting type: LED lighting in the doors, on both sides		49. Number of programs: 1000
37. Cavity material and shape: AISI 304, with rounded corners for easy cleaning		50. USB port: Yes, for uploading recipes and updating firmware
38. Reversible fan: Yes		51. Door constitution: Vented safety double glass, removable for easy cleaning

Yes

39. Sustaince box:

100

52. Number of preset programs:



Technical parameters

Combi convection steam oven STEAMBOX electric 6x GN 1/1 automatic cleaning boiler 400 V left door		
Model	SAP Code	00014899
STBB 0611 EL	A group of articles - web	Convection machines
53. Number of recipe steps: 9		59. GN / EN size in device: GN 1/1
54. Minimum device temperature [°C]: 30		60. GN device depth: 65
55. Maximum device temperature [°C]: 300		61. Food regeneration: Yes
56. Device heating type: Combination of steam and hot air		62. Cross-section of conductors CU [mm ²]:
57. HACCP: Yes		63. Diameter nominal: DN 50
58. Number of GN / EN:		64. Water supply connection:

3/4"

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

6