

# Technical data sheet

Product features



## INFINITY multifunctional device 15x GN 1/1, wheels, Right-hinged door

|                       |                                  |                                |
|-----------------------|----------------------------------|--------------------------------|
| <b>Model</b>          | <b>SAP Code</b>                  | 00038868                       |
| INFINITY 1511 KL PD N | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



- Shock cooling cycle kg / min (+3 ° C): 70/86
- Shock freeze cycle kg / min (-18 ° C): 30/182
- Minimum device temperature [°C]: -40
- Maximum device temperature [°C]: 85
- Probe: 4-bodová
- Insulation thickness [mm]: 60
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes, with save options
- Defrosting cycle: Yes
- Proving cycle: Yes

|                            |                    |  |             |
|----------------------------|--------------------|--|-------------|
| <b>SAP Code</b>            | 00038868           | <b>Number of GN / EN</b>                     | 15          |
| <b>Net Width [mm]</b>      | 790                | <b>GN / EN size in device</b>                | GN 1/1      |
| <b>Net Depth [mm]</b>      | 839                | <b>GN device depth</b>                       | 65          |
| <b>Net Height [mm]</b>     | 1990               | <b>Shock cooling cycle kg / min (+3 ° C)</b> | 70/86       |
| <b>Net Weight [kg]</b>     | 211.00             | <b>Shock freeze cycle kg / min (-18 ° C)</b> | 30/182      |
| <b>Power electric [kW]</b> | 2.772              | <b>Control type</b>                          | Touchscreen |
| <b>Loading</b>             | 400 V / 3N - 50 Hz | <b>Humidification</b>                        | Yes         |



# Technical data sheet

Technical drawing



## INFINITY multifunctional device 15x GN 1/1, wheels, Right-hinged door

|                       |                                  |                                |
|-----------------------|----------------------------------|--------------------------------|
| <b>Model</b>          | <b>SAP Code</b>                  | 00038868                       |
| INFINITY 1511 KL PD N | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



- A= ELECTRICAL CONNECTION
- B= GAS CONNECTION  $\varnothing 8$   $\varnothing 10$
- C= GAS CONNECTION  $\varnothing 12$   $\varnothing 16$
- D= GAS CONNECTION  $2 \times \varnothing 12$   $2 \times \varnothing 16$
- E= WATER DISCHARGE  $\varnothing 18$  (F)
- F= WATER INLET CONNECTION G3/4" (M) (ALL-IN-ONE)
- G= WATER OUTLET CONNECTION  $\varnothing 20$  (M) (ALL-IN-ONE)

# Technical data sheet

## Technical parameters



### INFINITY multifunctional device 15x GN 1/1, wheels, Right-hinged door

|                       |                                  |                                |
|-----------------------|----------------------------------|--------------------------------|
| <b>Model</b>          | <b>SAP Code</b>                  | 00038868                       |
| INFINITY 1511 KL PD N | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**1. SAP Code:**

00038868

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

839

**4. Net Height [mm]:**

1990

**5. Net Weight [kg]:**

211.00

**6. Gross Width [mm]:**

830

**7. Gross depth [mm]:**

860

**8. Gross Height [mm]:**

2120

**9. Gross Weight [kg]:**

233.00

**10. Device type:**

Electric unit

**11. Exterior color of the device:**

Stainless steel

**12. Opening of device:**

Hinges on the left

**13. Power electric [kW]:**

2.772

**14. Loading:**

400 V / 3N - 50 Hz

**15. Control type:**

Touchscreen

**16. Display size:**

9"

**17. Refrigerant:**

R290

**18. Number of GN / EN:**

15

**19. GN / EN size in device:**

GN 1/1

**20. GN device depth:**

65

**21. Minimum device temperature [°C]:**

-40

**22. Maximum device temperature [°C]:**

85

**23. Shock freeze cycle kg / min (-18 ° C):**

30/182

**24. Shock cooling cycle kg / min (+3 ° C):**

70/86

**25. Insulation thickness [mm]:**

60

**26. Long-term cooling function:**

Yes

**27. Longterm freezing function:**

Yes

**28. Probe:**

4-bodová

# Technical data sheet

Technical parameters



## INFINITY multifunctional device 15x GN 1/1, wheels, Right-hinged door

|                       |                                  |                                |
|-----------------------|----------------------------------|--------------------------------|
| <b>Model</b>          | <b>SAP Code</b>                  | 00038868                       |
| INFINITY 1511 KL PD N | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

### 29. Self-diagnostics:

Yes

### 30. Interior lighting:

Yes

### 31. HACCP:

Yes

### 32. Low temperature heat treatment:

Yes

### 33. Low temperature cooking span [°C]:

52 - 85

### 34. Defrosting cycle:

Yes

### 35. Proving cycle:

Yes

### 36. Adjustable feet:

Yes

### 37. User programmable cycles:

Yes, with save options

### 38. USB port:

Yes, for HACCP and firmware update

### 39. Real time monitoring parameters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

### 40. Drain connection:

Yes

### 41. Cross-section of conductors CU [mm<sup>2</sup>]:

1

### 42. Humidification:

Yes