



Screw cutting machine, diameter 30, 400 V		
Model	SAP Code	00001370
GXE 300 DPT	A group of articles - web	Cutting machines



- Blade type: Smooth
- Blade diameter [mm]: 300
- Cutting thickness [mm]: 0 15
- Useful Cut [mm]: 290 x 170
- Transfer type: Snail
- Material: Aluminium
- Safety element: stainless steel blade guard transparent finger protection
- Suitable consumer: suitable for larger operations
- Table position: Oblique
- On/Off button: Yes
- Continous work limit: running time without limitation

SAP Code	00001370	Loading	400 V / 3N - 50 Hz
Net Width [mm]	460	Blade type	Smooth
Net Depth [mm]	670	Blade diameter [mm]	300
Net Height [mm]	450	Cutting thickness [mm]	0 - 15
Net Weight [kg]	35.00	Useful Cut [mm]	290 x 170
Power electric [kW]	0.300		



Technical drawing

Screw cutting machine, diameter 30, 400 V		
Model	SAP Code	00001370
GXE 300 DPT	A group of articles - web	Cutting machines





Screw cutting machine, diameter 30, 400 V		
Model	SAP Code	00001370
GXE 300 DPT	A group of articles - web	Cutting machines

Aluminum alloy body robustness

purity

- long service life
- very easy to clean
- **Worm gear** long service life
 - thanks to the worm gear and the more powerful motor, it can be used de facto continuously
- Anti-stick treatment of the knife including anti-stick grooves

less adhesion of the sliced food to the knife

- thanks to the blade design, even softer foods can be cut, saving costs and time

Fan-cooled motor with overheating protection greater capacity of processed food

long life

- can work longer thanks to cooling
- less risk of overheating and engine damage due to cooling
- **Finger protection** high operational safety

- the finger guard minimises the risk of accidents at work

Spring displacement of the raw material easier handling

> - the spring ensures a smoother movement of the food towards the knife and thus increases the comfort of the operator

Large blade diameter variability of use

- thanks to the large diameter of the knife, even large pieces of food can be processed

Grinding equipment included in the price

guaranteed sharpness of the knife quick maintenance

- no additional costs for external grinding
- easy maintenance
- immediate solution
- time saving

e-mail: rmgastro@rmgastro.com web: www.rmgastro.com



Technical parameters

Screw cutting machine, diamet	ter 30, 400 V	
Model	SAP Code	00001370
GXE 300 DPT	A group of articles - web	Cutting machines
1. SAP Code: 00001370		15. Safety element: stainless steel blade guard transparent finger protection
2. Net Width [mm]: 460		16. Suitable consumer: suitable for larger operations
3. Net Depth [mm]: 670		17. Adjustable feet: No
4. Net Height [mm]: 450		18. Main switch: Yes
5. Net Weight [kg]: 35.00		19. Transfer type: Snail
6. Gross Width [mm]: 660		20. Blade type: Smooth
7. Gross depth [mm]: 750		21. Blade diameter [mm]: 300
8. Gross Height [mm]: 590		22. Useful Cut [mm]: 290 × 170
9. Gross Weight [kg]: 47.00		23. On/Off button: Yes
10. Device type: Electric unit		24. Continous work limit: running time without limitation
11. Material: Aluminium		25. Removable moving table: Yes
12. Power electric [kW]: 0.300		26. Anti-adhesive blade treatment: Yes
13. Loading: 400 V / 3N - 50 Hz		27. Table position: Oblique
44 Controllano		an planta and the state of the

14. Control type:

Mechanical

28. Blade cover material:

Stainless steel



Technical parameters

Screw cutting machine, diameter 30, 400 V		
Model	SAP Code	00001370
GXE 300 DPT	A group of articles - web	Cutting machines

29. Sharpening device:

Additional included in the price

30. Cutting thickness [mm]:

0 - 15

31. Cross-section of conductors CU [mm²]:

0,5