

# Technical data sheet

## Product features



### Bain Marie mobile electric GN 4-1/1 sheathed controls on the longer side

<b>Model</b>	<b>SAP Code</b>	00020334
BMPD 4120 CS	<b>A group of articles - web</b>	Sideboards and showcases



- Device properties: Warmed
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 30
- Maximum device temperature [°C]: 90

<b>SAP Code</b>	00020334	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Width [mm]</b>	1650	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	700	<b>GN device depth</b>	200
<b>Net Height [mm]</b>	900	<b>Minimum device temperature [°C]</b>	30
<b>Net Weight [kg]</b>	106.00	<b>Maximum device temperature [°C]</b>	90
<b>Power electric [kW]</b>	2.800		


# Technical data sheet

Technical drawing



Bain Marie mobile electric GN 4-1/1 sheathed controls on the longer side

<b>Model</b>	<b>SAP Code</b>	00020334
BMPD 4120 CS	<b>A group of articles - web</b>	Sideboards and showcases



# Technical data sheet

Technical parameters



## Bain Marie mobile electric GN 4-1/1 sheathed controls on the longer side

<b>Model</b>	<b>SAP Code</b>	00020334
<b>BMPD 4120 CS</b>	<b>A group of articles - web</b>	Sideboards and showcases

**1. SAP Code:**

00020334

**2. Net Width [mm]:**

1650

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

106.00

**6. Gross Width [mm]:**

1710

**7. Gross depth [mm]:**

750

**8. Gross Height [mm]:**

1020

**9. Gross Weight [kg]:**

118.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304 top plate, AISI 430 cladding

**12. Device properties:**

Warmed

**13. Exterior color of the device:**

Stainless steel

**14. Power electric [kW]:**

2.800

**15. Loading:**

230 V / 1N - 50 Hz

**16. GN / EN size in device:**

GN 1/1

**17. GN device depth:**

200

**18. Minimum device temperature [°C]:**

30

**19. Maximum device temperature [°C]:**

90

**20. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,75