

Technical data sheet

Product features



Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

Model	SAP Code	00038865
ISN 0511 PD	A group of articles - web	Šokery a multifunkční zařízení



- Shock cooling cycle kg / min (+3 ° C): 25/95
- Shock freeze cycle kg / min (-18 ° C): 10/257
- Minimum device temperature [°C]: -40
- Maximum device temperature [°C]: 10
- Probe: 4-bodová
- Insulation thickness [mm]: 60
- Control type: Touchscreen
- Display size: 9"
- Defrosting cycle: Yes

SAP Code	00038865	Number of GN / EN	5
Net Width [mm]	790	GN / EN size in device	GN 1/1
Net Depth [mm]	839	GN device depth	65
Net Height [mm]	847	Shock cooling cycle kg / min (+3 ° C)	25/95
Net Weight [kg]	99.00	Shock freeze cycle kg / min (-18 ° C)	10/257
Power electric [kW]	0.704	Control type	Touchscreen
Loading	230 V / 1N - 50 Hz		

Technical data sheet

Technical drawing



Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

Model	SAP Code	00038865
ISN 0511 PD	A group of articles - web	Šokery a multifunkční zařízení

Technical data sheet

Technical parameters



Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

Model	SAP Code	00038865
ISN 0511 PD	A group of articles - web	Šokery a multifunkční zařízení

1. SAP Code:

00038865

2. Net Width [mm]:

790

3. Net Depth [mm]:

839

4. Net Height [mm]:

847

5. Net Weight [kg]:

99.00

6. Gross Width [mm]:

830

7. Gross depth [mm]:

860

8. Gross Height [mm]:

980

9. Gross Weight [kg]:

116.00

10. Device type:

Electric unit

11. Exterior color of the device:

Stainless steel

12. Opening of device:

Hinges on the left

13. Power electric [kW]:

0.704

14. Loading:

230 V / 1N - 50 Hz

15. Control type:

Touchscreen

16. Display size:

9"

17. Refrigerant:

R290

18. Number of GN / EN:

5

19. GN / EN size in device:

GN 1/1

20. GN device depth:

65

21. Minimum device temperature [°C]:

-40

22. Maximum device temperature [°C]:

10

23. Shock freeze cycle kg / min (-18 ° C):

10/257

24. Shock cooling cycle kg / min (+3 ° C):

25/95

25. Insulation thickness [mm]:

60

26. Long-term cooling function:

Yes

27. Probe:

4-bodová

28. Interior lighting:

Yes

Technical data sheet

Technical parameters



Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

Model	SAP Code	00038865
ISN 0511 PD	A group of articles - web	Šokery a multifunkční zařízení

29. HACCP:

Yes

32. USB port:

Yes, for HACCP and firmware update

30. Filter:

Odjímatelný

33. Cross-section of conductors CU [mm²]:

0,5

31. Defrosting cycle:

Yes