

Product features

Blender motor 250 W fixed speed		
Model	SAP Code	00013299
PMFF M25	A group of articles - web	Hand mixers



- Mixing speed [rpm]: 15000
- Material: ABS plastic
- Number of speeds of device: 1
- Control type: Digital
- Safety element: thermal overload protection
- Way of tool mounting: Bayonet coupling, double, sliding nut
- Engine protection: overheating protection
- Main switch: Yes
- Ergonomic handle: Yes
- Additional information: interchangeable whisking, mixing, homogenising and emulsifying attachments control board with SRS system for power and speed stabilisation

SAP Code	00013299	Net Weight [kg]	1.75
Net Width [mm]	75	Power electric [kW]	0.250
Net Depth [mm]	75	Loading	230 V / 1N - 50 Hz
Net Height [mm]	285	Mixing speed [rpm]	15000



Technical drawing

Blender motor 250 W fixed speed		
Model	SAP Code	00013299
PMFF M25	A group of articles - web	Hand mixers





Blender motor 250 W fixed speed		
Model	SAP Code	00013299
PMFF M25	A group of articles - web	Hand mixers

Engine only

option to choose accessories as needed

- cost savings no need to buy what I don't need or, on the other hand, additional machines

Compact design

conformity easy handling

- very easy to use for any operator in the kitchen

Ergonomic handle easy and convenient to use

- higher security

- less fatigue during use

SRS technology constant mixing speed even when processing foods with very hard particles

- perfect result even when mixing frozen foods

Bayonet clutch with star shape

perfect torque transmission resistance to breaking out

- perfect food processing
- durability

e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2025-10-16



Technical parameters

Blender motor 250 W fixed speed		
Model	SAP Code	00013299
PMFF M25	A group of articles - web	Hand mixers
1. SAP Code: 00013299		14. Loading: 230 V / 1N - 50 Hz
2. Net Width [mm]: 75		15. Number of speeds of device:
3. Net Depth [mm]: 75		16. Control type: Digital
4. Net Height [mm]: 285		17. Safety element: thermal overload protection
5. Net Weight [kg]: 1.75		18. Way of tool mounting: Bayonet coupling, double, sliding nut
6. Gross Width [mm]: 125		19. Engine protection: overheating protection
7. Gross depth [mm]:		20. Main switch: Yes
8. Gross Height [mm]: 400		21. Additional information: interchangeable whisking, mixing, homogenising and emulsifying attachments control board with SRS system for power and speed stabilisation
9. Gross Weight [kg]: 1.90		22. Ergonomic handle: Yes
10. Device type: Electric unit		23. Gasket: Yes
11. Material: ABS plastic		24. Connections material: Polymer
12. Exterior color of the device: Hemlock		25. Mixing speed [rpm]: 15000
13. Power electric [kW]:		26. Cross-section of conductors CU [mm²]:

0.250

0,5