



Universal mixer planetary 3 speed 30 l 400 V		
Model	SAP Code	00003704
RM 30H	A group of articles - web	Cutters and universal robots




- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Additional information: possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction
- Mixing system: With a fixed container
- Way of tool mounting: Planets

SAP Code	00003704	Power electric [kW]	0.750
Net Width [mm]	568	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	660	Bowl lift	Mechanical
Net Height [mm]	1156	Weight capacity of the device container [kg]	30.00
Net Weight [kg]	200.00		



Technical drawing

Universal mixer planetary 3 speed 30 l 400 V		
Model	SAP Code	00003704
RM 30H	A group of articles - web	Cutters and universal robots







Universal mixer planetary 3 speed 30 l 400 V		
Model	SAP Code	00003704
RM 30H	A group of articles - web	Cutters and universal robots

Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- better mixing of ingredients; better quality of prepared dough
- Additional devices
 the possibility of grinding or grinding, or wiper arms, or handling carts
 - mutifunctionality
- Content 5 80L
 - wide sortiment
 - always the ideal size for every operation
- Safety microswitch
 without closing the microswitch, the machine
 will not start
 avoiding possible injury to the operator
 - Protective cover with filling opening without closing the microswitch, the machine
 - will not start
 - Ingredients can be added additionally while ensuring the safety of the staff
- Whisk, hook, stirrer great basic equipment
 - there is no need to buy additional equipment for whipping or kneading
- No oil bath
 the robot has a gearbox that is not stored in an oil basin
 no release of gear oil into the food
- Reduction boiler

 possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original
 - simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



Technical parameters

Universal mixer planetary 3 spee	d 30 l 400 V	
Model	SAP Code	00003704
RM 30H	A group of articles - web	Cutters and universal robots
1. SAP Code: 00003704		14. Control type: Mechanical
2. Net Width [mm]: 568		15. Safety cover: stainless steel with a filling hole
3. Net Depth [mm]: 660		16. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
4. Net Height [mm]:		17. Way of tool mounting: Planets
5. Net Weight [kg]: 200.00		18. Safety Microswitch: Yes
6. Gross Width [mm]: 668		19. Start /stop: Yes
7. Gross depth [mm]: 760		20. Timer: Yes
8. Gross Height [mm]: 1200		21. Standard equipment for device: boiler, whisk, hook, stirrer
9. Gross Weight [kg]: 220.00		22. Additional information: possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction
10. Device type: Electric unit		23. Unmountable bowl: Yes
11. Power electric [kW]: 0.750		24. Bowl lift: Mechanical
12. Loading: 400 V / 3N - 50 Hz		25. Suitable operations: Mixing, whipping and kneading

13. Number of speeds of device:

26. Mixing system:

With a fixed container



Technical parameters

Universal mixer planetary 3 speed 30 l 400 V		
Model	SAP Code	00003704
RM 30H	A group of articles - web	Cutters and universal robots

27. Weight capacity of the device container [kg]:

28. Cross-section of conductors CU [mm²]:

1