



Universal mixer planetary 3 speed 40 l 400 V		
Model	SAP Code	00003705
RM 40H	A group of articles - web	Cutters and universal robots




- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Additional information: possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction
- Mixing system: With a fixed container
- Way of tool mounting: Planets

SAP Code	00003705	Power electric [kW]	1.200
Net Width [mm]	632	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	720	Bowl lift	Mechanical
Net Height [mm]	1300	Weight capacity of the device container [kg]	40.00
Net Weight [kg]	265.00		



Technical drawing

Universal mixer planetary 3 speed 40 l 400 V		
Model	SAP Code	00003705
RM 40H	A group of articles - web	Cutters and universal robots







Universal mixer planetary 3 speed 40 l 400 V		
Model	SAP Code	00003705
RM 40H	A group of articles - web	Cutters and universal robots

Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- Additional devices
 the possibility of grinding or grinding, or wiper arms, or handling carts
- Content 5 80L wide sortiment
- Safety microswitch
 without closing the microswitch, the machine
 will not start
- Protective cover with filling opening without closing the microswitch, the machine will not start
- Whisk, hook, stirrer great basic equipment
- No oil bath the robot has a gearbox that is not stored in an oil basin
- Reduction boiler

 possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original



Technical parameters

Universal mixer planetary 3 speed	I 40 l 400 V	
Model	SAP Code	00003705
RM 40H	A group of articles - web	Cutters and universal robots
1. SAP Code: 00003705		14. Control type: Mechanical
2. Net Width [mm]: 632		15. Safety cover: stainless steel with a filling hole
3. Net Depth [mm]: 720		16. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
4. Net Height [mm]: 1300		17. Way of tool mounting: Planets
5. Net Weight [kg]: 265.00		18. Safety Microswitch: Yes
6. Gross Width [mm]: 730		19. Start /stop: Yes
7. Gross depth [mm]: 820		20. Timer: Yes
8. Gross Height [mm]: 1200		21. Standard equipment for device: boiler, whisk, hook, stirrer
9. Gross Weight [kg]: 290.00		22. Additional information: possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction
10. Device type: Electric unit		23. Unmountable bowl: Yes
11. Power electric [kW]: 1.200		24. Bowl lift: Mechanical
12. Loading: 400 V / 3N - 50 Hz		25. Suitable operations: Mixing, whipping and kneading

13. Number of speeds of device:

26. Mixing system:

With a fixed container



Technical parameters

Universal mixer planetary 3 speed 40 l 400 V		
Model	SAP Code	00003705
RM 40H	A group of articles - web	Cutters and universal robots

27. Weight capacity of the device container [kg]:

28. Cross-section of conductors CU [mm²]:

1