

# Technical data sheet

## Product features



### Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00038865                       |
| ISN 0511 PD  | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

– Insulation thickness [mm]: 60



|                        |          |                            |                    |
|------------------------|----------|----------------------------|--------------------|
| <b>SAP Code</b>        | 00038865 | <b>Net Weight [kg]</b>     | 100.00             |
| <b>Net Width [mm]</b>  | 790      | <b>Power electric [kW]</b> | 0.468              |
| <b>Net Depth [mm]</b>  | 839      | <b>Loading</b>             | 230 V / 1N - 50 Hz |
| <b>Net Height [mm]</b> | 847      |                            |                    |

# Technical data sheet

Technical drawing



**Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door**

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00038865                       |
| ISN 0511 PD  | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

# Technical data sheet

Technical parameters



## Blast chiller 5x GN 1/1 touch control panel 230 V, Right-hinged door

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00038865                       |
| ISN 0511 PD  | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

### 1. SAP Code:

00038865

### 9. Gross Weight [kg]:

116.90

### 2. Net Width [mm]:

790

### 10. Device type:

Electric unit

### 3. Net Depth [mm]:

839

### 11. Power electric [kW]:

0.468

### 4. Net Height [mm]:

847

### 12. Loading:

230 V / 1N - 50 Hz

### 5. Net Weight [kg]:

100.00

### 13. Refrigerant:

R290

### 6. Gross Width [mm]:

846

### 14. Insulation thickness [mm]:

60

### 7. Gross depth [mm]:

860

### 15. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

### 8. Gross Height [mm]:

980